

# Complete Dynamics

Practitioner Edition

for iPad

*Version 24.1*

## About this manual

### Is this the right manual for you?

The *Complete Dynamics* documentation is available in a large number of variants.

We have different manuals for different program configurations.

- Program edition: Browser, Practitioner, or Master.
- Computer type: Apple OS-X, Windows, iPad, iPhone, Android.
- Various international languages.

The right manual is adapted exactly to your situation.

If you think you are not reading the perfect manual, please go to our website [www.completedynamics.com](http://www.completedynamics.com), section *Documentation*, and download your manual there.

# Welcome

Welcome to *Complete Dynamics* - Practitioner Edition.

The *Complete Dynamics* software program offers you the ultimate experience in computer based reading and studying of the *Complete Repertory*. Amongst homeopathic professionals, the *Complete Repertory* is renowned worldwide for its completeness, accuracy and coverage of original sources.

The software is available for Apple macOS®, Microsoft Windows®, Linux®, Apple iOS®, Android®.

With the *Practitioner Edition*, you will be able to:

- Read and study the entire *Complete Repertory*, in multiple languages.
- Manage patient case files.
- Perform analyses.
- Read Materia Medica books.

These pages are meant to help you find your way around the program.

We suggest you start with the section *Getting started*, which will give you an overview of the possibilities.

We sincerely hope that *Complete Dynamics* will enrich your homeopathic life, whether you are a professional practitioner, student, teacher or researcher.

The *Complete Dynamics* development team.

# Getting started

## Intuitive design

Complete Dynamics is designed to be used intuitively, by those who have a professional background in homeopathy. Some features of the program can be used much more effectively if you learn a few tricks.

## Popup menus

In many situations, popup menus provide quick access to functions. Just touch the screen and hold it for 1 second. A menu will then show, if available for the item you clicked on. Example:




## Multiple selection

In many situations you may want to perform a certain task on several items at the same time, instead of only the one item that you selected. In these cases, you can first select multiple items, then perform the task on all selected.


### How to select multiple items

The examples below show multiple selection of rubrics in the *Analysis* module. At other places, the principles are the same.

To select a single line, just click on it with the mouse:



You can also change the selection of a single line by clicking at the left of the text. (In the *Book* and *Find* modules, you can click to the left of the rubric label)



### Actions that work on multiple selected items

#### Book module

In the *Book* module, you can select multiple rubrics. Some functions work on multiple rubrics, others only on a single rubric.

These are the functions that work on multiple rubrics:

- Add rubrics to the analysis. (Popup menu option *Add rubric to analysis*).
- Add rubrics to a given symptom in the analysis. (Popup menu option *Add rubric to ... / New symptom...*).
- Copy rubric labels to the clipboard. (Popup menu option *Copy / Copy rubric label*).
- Copy rubric labels, with their remedies, to the clipboard. (Popup menu option *Copy / Copy rubric and remedies*).

All other functions work on a single rubric. In case you have selected multiple rubrics, the rubric used is the last one you clicked on.

#### Find module

In the *Find* module, the functions on multiple rubrics are the same as in the *Book* module.

#### Case module

In the *Case* module, these are the functions that work with multiple selection:

- Delete multiple analyses. (Popup menu option *Delete analysis*).
- Move multiple analyses to another case. (Popup menu option *Move analysis to case...*).
- Delete multiple prescriptions. (Popup menu option *Delete prescription*).

#### Analysis module



In the *Analysis* module, these are the functions that work with multiple selection:


- Delete multiple rubrics or symptoms. (Popup menu option *Delete selected*).
- Assign a weight factor. (Toolbar button **2**, popup menu option *Weight / Weight x2*). Etcetera.
- Assign a symptom classification class. (Toolbar button **O**, popup menu option *Symptom classification / Psora*). Etcetera.
- All the grouping functions.
- The functions to copy rubric labels, with or without remedies.
- Copying selected rubrics, in order to paste them into another analysis. (Popup menu option *More / Copy selected lines*, popup menu option *More / Paste copied lines*).
- Moving selected rubrics up or down to another symptom. (Toolbar button **↑**, popup menu option *More / Move up*, toolbar button **↓**, popup menu option *More / Move down*).
- Selecting multiple rubrics highlights the remedies of these rubrics in the analysis results area.
- Selecting multiple remedies in the analysis result area highlights the rubrics in which these remedies occur.

## MM module

In the *Repertory* section of the *MM* module, the functions on multiple rubrics are the same as in the *Book* module.

## Index tabs

The main modules of *Complete Dynamics* are accessible through so called index tabs.  
In the *Practitioner edition* these are *Index*, *Book*, *Find*, *Case*, *Analysis* and *Materia Medica*.



The *Index* module provides quick access to the book's chapters, using both a textual and a graphical representation. See help section *Index module* for details.

The *Book* module shows the repertory. You can read it like a printed book, but also view it in a more condensed form. See help section *Book module* for details.

The *Find* module offers powerful functionality for finding rubrics and remedies in the book. See help section *Find module* for details.

The *Case* module lets you create and organize your patients' case files. See help section *Case module* for details.

The *Analysis* module is used for analysis of your cases. See help section *Analysis module* for details.

The *Materia Medica* module gives information about remedies. See help section *Materia Medica module* for details.

## Button bar

At the top of the screen, a button bar provides quick access to commonly used functions.

## iOS version

### Using iOS

The Apple iPad ® does not have a mouse and a keyboard, like you are used on a PC. Also, the iPad does not have an application Menu bar, like applications on a PC. Instead, popup menus are used to offer of functions that would otherwise be available through keyboard keys and the Menu bar.

The touchscreen of the iPad offers several possibilities that are not available on a PC, called gestures.

Examples of these gestures, used in *Complete Dynamics*, are:

- Swipe. Place your finger on the screen, and swipe it left, right, up, or down. Often used to turn pages in a book. Also used to scroll contents that is too large to fit on the screen.
- Pinch. Place two fingers on the screen, then move them towards or away from each other. Used in the *Book module* to make the text smaller or larger.

Sharing cases between your iPad and your PC works slightly different than between two PCs, because copying files to and from your iPad requires the use of the iTunes application on your PC. You will find a special section on this under *Case module, case sharing*.

### Device orientation

You can hold your iPad in two different positions, called landscape and portrait orientation. The *Complete Dynamics* application will automatically adjust the way it shows you information, according to the way you hold your iPad.

All pictures in this manual are made with the iPad in landscape orientation.

It is up to you to discover how everything looks when you change the position, and decide for yourself what is most convenient for you.

### Speed and memory

The iPad is not a large computer like a real PC, with almost unlimited speed and memory.

Since *Complete Dynamics* is a very complex and large program, this imposes some restrictions on the iPad version. If you understand these restrictions, they should not be a problem to you.

The *Complete Repertory* contains almost 250,000 rubrics, holding 2,500,000 remedy entries!

To search for specific information in the *Find module*, all this information needs to be compared. To make this more efficient, the program tries to keep as much information in memory as possible. When the information is not in memory, it needs to be read from the database.

The first time you do a find, you may notice that searching can be relatively slow. But the next find is considerable faster, often just a few seconds (depending on the complexity of your query), because the rubrics and remedies are already in memory.

### More than 1 program

You typically use more than 1 program on your iPad. All these programs need to run using the limited memory of the iPad.

When there is not enough memory for all programs, the iPad asks the programs to free memory. When this happens, *Complete Dynamics* frees as much memory as it can. Consequently, the next Find might again take more time.

While you work with one program, the other programs do nothing. During this time, when memory becomes too limited, the iPad will simply end other programs without a warning. This is not like it is done on PCs, but this is the way the iPad software was designed.

When ending a program, the iPad prefers to end larger programs. In most cases, this will be *Complete Dynamics*, because it is not just a small game program.







This implies that when you work with another program, *Complete Dynamics* can silently be ended, and the next time you select it has to start all over again.

To prevent being killed unexpectedly, *Complete Dynamics* frees as much memory as possible when you switch to another application.

When you switch back, it will again read the information it had previously freed.

This is best noticeable in the *Find module* and the *Reverse Materia Medica*. These modules are much faster when all texts and remedies are already in memory.

The status of the memory is shown in the toolbar:

-  All rubric names and remedies are in memory. Searching will be fast now.
-  Some essential information is not read yet. Searching will have to wait a few moments.
-  Rubric names are in memory, but the remedies are not. Searching for text will be fast. Searching for remedies can be slow.
-  Rubric names are not read yet. Searching can be slow.
-  The iPad forced to free memory. Searching can be slow.
-  Reading information has been stopped, click the button to restart reading.

You can enable and disable the memory freeing with a Preferences setting.

### Saving your data

Because the program can silently be killed by the iPad at any time, it attempts to save your case data at appropriate moments.

Your case data is saved automatically when:

- you do nothing for a few seconds;
- you switch to another application;
- an open case is closed.

### Tips for optimal performance


Complete Dynamics will perform best if you:

- do not switch to other programs, except when you need them;
- close all applications that you are not really using.

# Index module

## Opening the Index module

Go to the Index module by clicking on the *Index* tab.



## Using the Index module

The index module provides quick access to the repertory's contents.

It is divided into three areas:

- the left side is an index of the repertory chapters,
- the middle part is a graphical index,
- the right side is a quick index of commonly used rubrics.

Just click on an item to perform the action.

## Using multiple repertories

In case you have a license for additional repertories, the index into the repertory chapters will also show the name of the repertory.

Complete Repertory (...)

When you click on the name of the repertory, it will select the next repertory and show you its chapters.

It also has a popup menu, in which you can select one of the available repertories.

## Book module

## Opening the Book module

Go to the Book module by clicking on the *Book* tab.

In the following example, the book is opened at the rubric *Mind; Anxiety; flushes of heat, with*.

<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>									
ANXIETY		MIND		All remedies		No case		MIND	
ANXIETY (cont.)		ANXIETY, right, fear (cont.)		ANXIETY, right complaints, in (cont.)		ANXIETY, right complaints, in (cont.)		ANXIETY, right complaints, in (cont.)	
<b>Flashes of heat</b> , with: aesc arg also an antr antr Anac andrad arg also antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Fear of fright still remaining</b> , fear of fright after: aesc arg also antr antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Heart palpitations</b> , in (cont.) antr antr Anac andrad arg also antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Heart palpitations</b> , in (cont.) antr antr Anac andrad arg also antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Heat</b> , before: CHIN nuc-v puls tris after: during: ACID acrid-t ALUM AMBR anac anthr APIS Arg arg-p anr ARS ars arst Bar-b beryl Bism bism Cacti camp CARB-V CHAM CHIN CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp	
<b>Congestion</b> , with (32) Anac andrad arg also antr antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Headache</b> , with: ACID AETH ALUM amb anr antr ARS arg also antr antr Anac andrad arg also antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Headache</b> , with: ACID AETH ALUM amb anr antr ARS arg also antr antr Anac andrad arg also antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Headache</b> , with: ACID AETH ALUM amb anr antr ARS arg also antr antr Anac andrad arg also antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp			
<b>Warmth</b> , with (43) Anac andrad arg also antr antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Warmth</b> , with (43) Anac andrad arg also antr antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Warmth</b> , with (43) Anac andrad arg also antr antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Warmth</b> , with (43) Anac andrad arg also antr antr Asal Bar-b Bryl Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc croc cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp			
<b>Formation, crawling</b> , with: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Formation, crawling</b> , with: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Formation, crawling</b> , with: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Formation, crawling</b> , with: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp			
<b>Fingers</b> , of: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Fingers</b> , of: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Fingers</b> , of: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Fingers</b> , of: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp			
<b>Right, fear</b> , after: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Right, fear</b> , after: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Right, fear</b> , after: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp		<b>Right, fear</b> , after: acon barb beryl Bism bism Cacti camp CARB-V CHAM CHIN Chin Cimic cof cro coc CUPR cupr C-DIOX elect glub gra Grap graph Hep lig on phal-l lip lld Merc nat-c pos pills PLB SULP Seta SPO SPONG salp			
<b>Mind</b> , in seventh month of pregnancy, in (90) Pregnancy, in (90)		<b>Mind</b> , in seventh month of pregnancy, in (90) Pregnancy, in (90)		<b>Mind</b> , in seventh month of pregnancy, in (90) Pregnancy, in (90)		<b>Mind</b> , in seventh month of pregnancy, in (90) Pregnancy, in (90)			

Complex Dynamics © Edward von Dönners

## Remedies and References

A rubric shows its text, followed by Remedies and References.

ABUSIVE	MIND	WISDOM	WISDOM
<b>ABUSIVE, insulting</b> (124) <ul style="list-style-type: none"> <li>• General (1769)</li> <li>• Answer, answering, answers; offensive (1)</li> <li>• Contemptuous (179)</li> <li>• Cursing, swearing, desires (141)</li> <li>• Insolence, impertinence (55)</li> <li>• Mocking at everyone (1)</li> <li>• Quarrelsomeness, scolding (284)</li> <li>• Rudeness (92)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• <i>Psychological</i> themes; aggression (975)</li> </ul>	<b>ABUSIVE, insulting</b> (cont.) <ul style="list-style-type: none"> <li>• menses, before (2)</li> <li>• Answer, answering, answers; offense (1)</li> <li>• molestation, after: (1)</li> <li>• mamma together: (1)</li> <li>• opposition, from: (3)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• pain, with: (2) <ul style="list-style-type: none"> <li>• Cursing, swearing, desires; pains; at (1)</li> </ul> </li> <li>• associates, to: (1)</li> <li>• calling names and scolding, irritation away: (1)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• cares not what she says: (1)</li> <li>• children insult parents: (1)</li> <li>• Children, complaints in (381)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• <i>Psychological</i> themes; aggression (975)</li> <li>• children, towards her: (1)</li> <li>• exhausted, until (2)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• family and children, to: (6)</li> <li>• <i>Millr's</i> themes; child (436)</li> <li>• friends, even to his best: (2)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• husband, to: (4)</li> <li>• <i>Millr's</i> themes; family (553)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• imaginary persons, at: (1)</li> </ul>	<b>ABUSIVE, insulting</b> (cont.) <ul style="list-style-type: none"> <li>• indecent language, in puerperal mania: (2)</li> <li>• Insanity, madness; delivery, parturition, after, puerperal (39)</li> </ul>	<b>ACCOUNTS, makes mistakes in</b> <ul style="list-style-type: none"> <li>• Mistakes, making; calculating, in (27)</li> </ul>
<b>ACCUSATIONS, unjust, agg:</b> (8) <ul style="list-style-type: none"> <li>• Injustice, cannot support (99)</li> </ul>	<b>ACRIMONIOUS</b> <ul style="list-style-type: none"> <li>• Dislike, events, on past disagreeable (156)</li> </ul>	<b>ACT for herself, no longer wishes to</b> <ul style="list-style-type: none"> <li>• Dependence (81)</li> <li>• Will loss of (108)</li> </ul>	<b>ACTORS</b>
<b>absent, as if</b> <ul style="list-style-type: none"> <li>• Absent-mindedness (332)</li> </ul>	<b>foolish</b>	<b>antisocial behavior</b> (160)	<b>insane</b> <ul style="list-style-type: none"> <li>• Insanity, madness (262)</li> </ul>
<b>ludicrous</b> <ul style="list-style-type: none"> <li>• Foolish behavior (160)</li> </ul>	<b>masculine</b>	<b>ACTIVITY: (27)</b> <ul style="list-style-type: none"> <li>• General (1769)</li> <li>• Bad, aversion to (23)</li> <li>• Buoyancy (50)</li> <li>• Busy (158)</li> <li>• Concentration, active (145)</li> <li>• Enterprising (5)</li> <li>• Excuse, exertion, ante (23)</li> <li>• Fatigues, exaltation of (25)</li> <li>• Hurry, haste (322)</li> <li>• Ideas, many, too, abundant (182)</li> <li>• Industrious, many for work (329)</li> <li>• Intellectual (31)</li> <li>• Memory, active (132)</li> </ul>	
<b>ACCEPTANCE</b> <ul style="list-style-type: none"> <li>• Appreciation, desires (109)</li> <li>• Tranquility, serene, calmness; reconciling, fate, to (23)</li> <li>• Yielding disposition (109)</li> <li>• Yielding disposition, no, cannot say, complies (35)</li> </ul>	<b>ACCEPTANCE</b> <ul style="list-style-type: none"> <li>• <i>Millr's</i> themes; family (553)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• <i>Psychological</i> themes; aggression (975)</li> </ul>	<b>ACCEPTANCE</b> <ul style="list-style-type: none"> <li>• <i>Millr's</i> themes; family (553)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• <i>Psychological</i> themes; aggression (975)</li> </ul>	<b>ACCEPTANCE</b> <ul style="list-style-type: none"> <li>• <i>Millr's</i> themes; family (553)</li> <li>• <i>Millr's</i> themes; offensive (458)</li> <li>• <i>Psychological</i> themes; aggression (975)</li> </ul>

Complete Dynamics © Edward van Gilsen

Complete Reports 2023 © 2023 Report by Zandvoort

## Full or Compact view

### Hiding remedies and references

In compact view, only rubrics are shown, with the number of remedies they contain, hiding the remedies to optimally use the available screen space. (Toolbar button **R**).

To hide or show all remedies and references, double click on any white space of the page. You can also double click on a rubric label.

ANXIETY	MIND	MIND	BOISTEROUS
<p><b>ANXIETY:</b> (100)</p> <p><b>APOLGIZES</b> frequently: (2)</p> <p><b>APOPLEXY</b>, after: (4)</p> <p><b>APPETITE</b>, with diminished: (40)</p> <p><b>APPLICATIONS</b></p> <p><b>APPRECIATION</b>, desires: (109)</p> <p><b>APPROACH</b> of a person agg.: (69)</p> <p><b>APPROACHED</b>, aversion of being: (38)</p> <p><b>ARDENT</b>: (15)</p> <p><b>ASCENDING</b> agg.: (11)</p> <p><b>ASCETIC</b>: (1)</p> <p><b>ASKING</b> for nothing, requesting no favors: (1)</p> <p><b>ASKS</b></p> <p><b>ASTONISHED</b>: (8)</p> <p><b>ATTACHED</b>, very: (89)</p> <p><b>ATTACK</b> others, desire to: (23)</p> <p><b>ATTENDED</b> to, desires to be: (9)</p> <p><b>ATTENTION</b></p> <p><b>ATTRACTION</b>, luring sexual, women: (2)</p> <p><b>AUDACITY</b>: (92)</p> <p><b>AUTHORITY</b>, refusal to accept some one's: (52)</p> <p><b>AUTISM</b>, mutinism: (38)</p> <p><b>AUTOMATIC</b> behavior, acts: (28)</p> <p><b>AVARICE</b>: (54)</p>	<p><b>AVERSION</b></p> <p><b>AWARENESS</b> heightened</p> <p><b>BACKWARDNESS</b>: (50)</p> <p><b>BAD BARKING</b>: (5)</p> <p><b>BARKING</b>: (17)</p> <p><b>BATHING</b>, washing</p> <p><b>BED</b></p> <p><b>BEER</b>, after: (16)</p> <p><b>BEGGAR</b>, outcast: (15)</p> <p><b>BEGGING</b>, entreating: (14)</p> <p><b>BELLING</b>: (5)</p> <p><b>BEND</b> pins, desire to: (1)</p> <p><b>BENVOLENCE</b>: (69)</p> <p><b>BESIDE</b> oneself, being: (82)</p> <p><b>BETRAYAL</b>, ailments from, agg.: (15)</p> <p><b>BETWITCHED</b>, being, agg.: (1)</p> <p><b>BIRTH</b> control pill, agg.: (2)</p> <p><b>BITING</b>: (57)</p> <p><b>BLACK</b> and somber, aversion to everything: (11)</p> <p><b>BLACKMAIL</b>, emotional, says "you do not love me" when refused: (2)</p> <p><b>BLINDNESS</b>, pretended: (1)</p> <p><b>BLOOD</b> or a knife, cannot look at: (10)</p> <p><b>BLOWING</b> nose, after: (1)</p> <p><b>BOASTER</b>, braggart: (43)</p> <p><b>BODY</b>, aversion to own: (1)</p>	<p><b>BOISTEROUS</b>, out-going: (30)</p> <p><b>BORROWING</b> of everyone: (3)</p> <p><b>BORROWS</b> trouble, always finds trouble in: (4)</p> <p><b>BREAK</b> things, desire to ●: (42)</p> <p><b>BREAKFAST</b></p> <p><b>BREATHING</b>, with painful: (1)</p> <p><b>BROODING</b>: (231)</p> <p><b>BROTHERHOOD</b>, sensation of: (2)</p> <p><b>BULIMIA</b>: (4)</p> <p><b>BUOYANCY</b>: (50)</p> <p><b>BUSINESS</b></p> <p><b>BUSY</b>: (158)</p> <p><b>CASERIAN</b>, ailments after: (1)</p> <p><b>CALCULATED</b> behavior: (1)</p> <p><b>CALLED</b> by name, when: (2)</p> <p><b>CAPRICIOUSNESS</b>: (153)</p> <p><b>CAPTIVATE</b> others, desire to: (1)</p> <p><b>CAREFREE</b>: (36)</p> <p><b>CAREFULNESS</b>: (53)</p> <p><b>CARES</b>, worries, full of: (238)</p> <p><b>CARESS</b>, caressed</p> <p><b>CARRIED</b></p> <p><b>CARRIES</b> things from one place to another and back again: (1)</p> <p><b>CASTING</b> off of people against one's will: (1)</p> <p><b>CAUTIOUS</b>: (69)</p> <p><b>CAVITY</b>, desires to be in a: (1)</p>	<p><b>CELIBACY</b></p> <p><b>CENSUROUS</b>, critical: (175)</p> <p><b>CHAGRIN</b></p> <p><b>CHALLENGES</b>, desires new: (22)</p> <p><b>CHANGE</b></p> <p><b>CHAOTIC</b>: (135)</p> <p><b>CHARACTER</b>, lack of: (4)</p> <p><b>CHARISMATIC</b>: (7)</p> <p><b>CHARITABLE</b>: (9)</p> <p><b>CHARLATAN</b>: (4)</p> <p><b>CHARMED</b> with description of beauties of nature: (5)</p> <p><b>CHASES</b></p> <p><b>CHECK</b> things, must: (25)</p> <p><b>CHEERFULNESS</b>: (488)</p> <p><b>CHILD</b>, desire to stay a: (2)</p> <p><b>CHILDISH</b> behavior ●: (127)</p> <p><b>CHILDLESS</b>, ailments from being: (14)</p> <p><b>CHILDREN</b></p> <p><b>CHILL</b>, during: (162)</p> <p><b>CHOCOLATE</b> amel.: (2)</p> <p><b>CHOREA</b></p> <p><b>CLAIRAUDIENCE</b></p> <p><b>CLAIRSENTIENCE</b>: (8)</p> <p><b>CLARIVISION</b>: ● (108)</p> <p><b>CLEARNESS</b>, social, desires: (2)</p> <p><b>CLIMACTERIC</b> period, in: (105)</p> <p><b>CLIMB</b>, desire to: (20)</p>

### Hiding sub rubrics

It is also possible to hide all sub rubrics, thus showing only the top level rubrics of the repertory. (Popup menu option *Main rubrics only*).

This option is extremely useful for people who want to learn the structure of the repertory.





Grade 3 and 4.

ABUSIVE	MIND	MIND	ABUSIVE
<b>ABUSIVE, insulting:</b> (39/124) <ul style="list-style-type: none"><li>• General (980)</li><li>• Answer, answering, answers; offensive</li><li>• Contemptuous (20)</li><li>• Cursing, swearing, desires (35)</li><li>• Insolence, impertinence (19)</li><li>• Nipping at everyone</li><li>• Quarrelsomeness, scolding (67)</li><li>• Rudeness (17)</li><li>• Mirrill's themes; offensive (122)</li><li>• Psychological themes; aggression (336)</li></ul> <b>forenoon:</b> (0/1) <ul style="list-style-type: none"><li>• Forenoon (21)</li></ul> <b>evening:</b> (0/2) <ul style="list-style-type: none"><li>• Evening; agg. (146)</li></ul> <b>acts, after indecent:</b> (0/1)angry, without being: (0/2) <b>crying, with:</b> (1)drunkards, in: (1/3) <ul style="list-style-type: none"><li>• Alcoholism, dipsomania; agg., ailments from (20)</li></ul> <b>fever, during</b> <ul style="list-style-type: none"><li>• Fever; during (146)</li></ul> <b>intermittent:</b> (1) <ul style="list-style-type: none"><li>• Fever; during (146)</li><li>• Fever, heat; intermittent, malarial (159)</li></ul> <b>typhoid:</b> (0/1) <ul style="list-style-type: none"><li>• Fever, heat; continued, typhoid (124)</li></ul> <b>irritability, with:</b> (0/3) <ul style="list-style-type: none"><li>• Irritability (361)</li></ul> <b>jealousy, out of:</b> (1/3) <ul style="list-style-type: none"><li>• Jealousy (35)</li></ul>	<b>ABUSIVE, insulting (cont.)</b> <b>menses, before:</b> (1/2) <ul style="list-style-type: none"><li>• Menses; before (69)</li></ul> <b>molestation, after:</b> (0/1) <b>mamma molested:</b> (0/1) <b>opposition, from:</b> (0/3) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (122)</li></ul> <b>pain, with:</b> (0/2) <ul style="list-style-type: none"><li>• Cursing, swearing, desires; pains, at</li></ul> <b>associates, to:</b> (1) <b>calling names and scolding,</b> <b>irritation agg.:</b> (1) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (122)</li></ul> <b>cares not what she says:</b> (0/1) <b>children insult parents:</b> (2/1) <ul style="list-style-type: none"><li>• Children; complaints in (153)</li><li>• Mirrill's themes; offensive (122)</li><li>• Psychological themes; aggression (336)</li></ul> <b>children, towards her:</b> (0/1) <b>exhausted, until:</b> (0/2) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (122)</li></ul> <b>family and children, to:</b> (2/6) <ul style="list-style-type: none"><li>• Mirrill's themes; child (106)</li><li>• Mirrill's themes; offensive (122)</li><li>• Psychological themes; aggression (336)</li></ul> <b>friends, even to his best:</b> (1/2) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (122)</li></ul> <b>husband, to:</b> (1/4) <ul style="list-style-type: none"><li>• Mirrill's themes; family (130)</li><li>• Mirrill's themes; offensive (122)</li><li>• Psychological themes; aggression (336)</li></ul> <b>imaginary persons, at:</b> (1) <b>indecent language, in puerperal</b> <b>mania:</b> (1/2)	<b>ABUSIVE, insulting; indecent</b> <b>indecent language, in puerperal mania:</b> (2) <ul style="list-style-type: none"><li>• Insanity, madness; delivery, parturition; after, puerperal (22)</li></ul> <b>passers-by:</b> (1/2) <b>scolds until the lips are blue and eyes stare and she faints:</b> (1) <ul style="list-style-type: none"><li>• Faintness, fainting, with (27)</li><li>• Face; bluish; lips (59)</li><li>• Generalities; faintness, fainting; blueness of face, with (5)</li><li>• Generalities; faintness, fainting; scolding, from (1)</li><li>• Mirrill's themes; offensive (122)</li></ul> <b>snub one who differed from him, desire to:</b> (0/1) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (122)</li></ul> <b>wife, to</b> <b>children, and:</b> (0/1) <ul style="list-style-type: none"><li>• Mirrill's themes; child (106)</li><li>• Mirrill's themes; offensive (122)</li></ul> <b>in front of children or vice versa:</b> (0/6) <ul style="list-style-type: none"><li>• Mirrill's themes; family (130)</li><li>• Mirrill's themes; offensive (122)</li><li>• Psychological themes; aggression (336)</li></ul> <b>ACCEPTANCE</b> <ul style="list-style-type: none"><li>• Appreciation, desires (7)</li><li>• Tranquillity, serenity, calmness; reconciling; fate, to (2)</li><li>• Yielding disposition (24)</li><li>• Yielding disposition; no, cannot say, complies (3)</li></ul>	<b>ACCOUNTS, makes mistakes in</b> <ul style="list-style-type: none"><li>• Mistakes, making; calculating, in (7)</li></ul> <b>ACCUSATIONS, unjust, agg.:</b> (3/8) <ul style="list-style-type: none"><li>• Injustice, cannot support (11)</li></ul> <b>ACRIMONIOUS</b> <ul style="list-style-type: none"><li>• Devils; events, on past disagreeable (27)</li></ul> <b>ACT for herself, no longer wishes to, in nervous debility:</b> (1) <ul style="list-style-type: none"><li>• Dependence (11)</li><li>• Will; loss of (19)</li></ul> <b>ACTIONS</b> <b>absent, as if</b> <ul style="list-style-type: none"><li>• Absent-mindedness (89)</li></ul> <b>foolish</b> <ul style="list-style-type: none"><li>• Foolish behavior (47)</li></ul> <b>insane</b> <ul style="list-style-type: none"><li>• Insanity, madness (116)</li></ul> <b>ludicrous</b> <ul style="list-style-type: none"><li>• Foolish behavior (47)</li></ul> <b>masculine:</b> (0/1) <b>ACTIVITY:</b> (69/292) <ul style="list-style-type: none"><li>• General (980)</li><li>• Bed; aversion to (4)</li><li>• Buoyancy (7)</li><li>• Busy (50)</li><li>• Concentration; active (7)</li><li>• Enterprising</li><li>• Exercise, exertion; amel. (3)</li><li>• Fancies; exaltation of (68)</li><li>• Hurry, haste (87)</li><li>• Ideas; many, too, abundant (50)</li><li>• Industrious, mania for work (66)</li><li>• Intellectual (32)</li><li>• Memory; active (21)</li><li>• Precision of mind increased (2)</li></ul>
←	Complete Dynamics © Eduard van Grinsven	Complete Repertory 2023 © 2023 Roger van Zandvoort	→

Grade 2, 3 and 4.

ABUSIVE	MIND	MIND	ABUSIVE
<b>ABUSIVE, insulting:</b> (54/124) <ul style="list-style-type: none"><li>• General (1251)</li><li>• Answer, answering, answers; offensive</li><li>• Contemptuous (26)</li><li>• Cursing, swearing, desires (50)</li><li>• Insolence, impertinence (24)</li><li>• Nipping at everyone</li><li>• Quarrelsomeness, scolding (103)</li><li>• Rudeness (26)</li><li>• Mirrill's themes; offensive (200)</li><li>• Psychological themes; aggression (481)</li></ul> <b>forenoon:</b> (0/1) <ul style="list-style-type: none"><li>• Forenoon (30)</li></ul> <b>evening:</b> (0/2) <ul style="list-style-type: none"><li>• Evening; agg. (214)</li></ul> <b>acts, after indecent:</b> (0/1)angry, without being: (1/2) <b>crying, with:</b> (1)drunkards, in: (1/3) <ul style="list-style-type: none"><li>• Alcoholism, dipsomania; agg., ailments from (25)</li></ul> <b>fever, during</b> <ul style="list-style-type: none"><li>• Fever; during (185)</li></ul> <b>intermittent:</b> (1) <ul style="list-style-type: none"><li>• Fever; during (185)</li><li>• Fever, heat; intermittent, malarial (203)</li></ul> <b>typhoid:</b> (0/1) <ul style="list-style-type: none"><li>• Fever, heat; continued, typhoid (145)</li></ul> <b>irritability, with:</b> (1/3) <ul style="list-style-type: none"><li>• Irritability (468)</li></ul> <b>jealousy, out of:</b> (1/3)	<b>ABUSIVE, insulting; jealousy, out of (cont.)</b> <b>menses, before:</b> (1/2) <ul style="list-style-type: none"><li>• Menses; before (100)</li></ul> <b>molestation, after:</b> (1) <b>mamma molested:</b> (0/1) <b>opposition, from:</b> (0/3) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (200)</li></ul> <b>pain, with:</b> (0/2) <ul style="list-style-type: none"><li>• Cursing, swearing, desires; pains, at</li></ul> <b>associates, to:</b> (1) <b>calling names and scolding,</b> <b>irritation agg.:</b> (1) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (200)</li></ul> <b>cares not what she says:</b> (0/1) <b>children insult parents:</b> (2/1) <ul style="list-style-type: none"><li>• Children; complaints in (179)</li><li>• Mirrill's themes; offensive (200)</li><li>• Psychological themes; aggression (481)</li></ul> <b>children, towards her:</b> (1) <b>exhausted, until:</b> (0/2) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (200)</li></ul> <b>family and children, to:</b> (3/6) <ul style="list-style-type: none"><li>• Mirrill's themes; child (156)</li><li>• Mirrill's themes; offensive (200)</li><li>• Psychological themes; aggression (481)</li></ul> <b>friends, even to his best:</b> (1/2) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (200)</li></ul> <b>husband, to:</b> (1/4) <ul style="list-style-type: none"><li>• Mirrill's themes; family (214)</li><li>• Mirrill's themes; offensive (200)</li></ul> <b>imaginary persons, at:</b> (1)	<b>ABUSIVE, insulting (cont.)</b> <b>indecent language, in puerperal mania:</b> (2) <ul style="list-style-type: none"><li>• Insanity, madness; delivery, parturition; after, puerperal (23)</li></ul> <b>passers-by:</b> (2) <b>scolds until the lips are blue and eyes stare and she faints:</b> (1) <ul style="list-style-type: none"><li>• Faintness, fainting, with (35)</li><li>• Face; bluish; lips (79)</li><li>• Generalities; faintness, fainting; blueness of face, with (5)</li><li>• Generalities; faintness, fainting; scolding, from (1)</li><li>• Mirrill's themes; offensive (200)</li></ul> <b>snub one who differed from him, desire to:</b> (0/1) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (200)</li></ul> <b>wife, to</b> <b>children, and:</b> (0/1) <ul style="list-style-type: none"><li>• Mirrill's themes; child (156)</li><li>• Mirrill's themes; offensive (200)</li></ul> <b>in front of children or vice versa:</b> (0/6) <ul style="list-style-type: none"><li>• Mirrill's themes; family (214)</li><li>• Mirrill's themes; offensive (200)</li><li>• Psychological themes; aggression (481)</li></ul> <b>ACCEPTANCE</b> <ul style="list-style-type: none"><li>• Appreciation, desires (17)</li><li>• Tranquillity, serenity, calmness; reconciling; fate, to (6)</li><li>• Yielding disposition (38)</li><li>• Yielding disposition; no, cannot say, complies (6)</li></ul>	<b>ACCOUNTS, makes mistakes in</b> <ul style="list-style-type: none"><li>• Mistakes, making; calculating, in (9)</li></ul> <b>ACCUSATIONS, unjust, agg.:</b> (9/8) <ul style="list-style-type: none"><li>• Injustice, cannot support (27)</li></ul> <b>ACRIMONIOUS</b> <ul style="list-style-type: none"><li>• Devils; events, on past disagreeable (48)</li></ul> <b>ACT for herself, no longer wishes to, in nervous debility:</b> (1) <ul style="list-style-type: none"><li>• Dependence (15)</li><li>• Will; loss of (25)</li></ul> <b>ACTIONS</b> <b>absent, as if</b> <ul style="list-style-type: none"><li>• Absent-mindedness (126)</li></ul> <b>foolish</b> <ul style="list-style-type: none"><li>• Foolish behavior (57)</li></ul> <b>insane</b> <ul style="list-style-type: none"><li>• Insanity, madness (133)</li></ul> <b>ludicrous</b> <ul style="list-style-type: none"><li>• Foolish behavior (57)</li></ul> <b>masculine:</b> (0/1) <b>ACTIVITY:</b> (102/292) <ul style="list-style-type: none"><li>• General (1251)</li><li>• Bed; aversion to (4)</li><li>• Buoyancy (21)</li><li>• Busy (59)</li><li>• Concentration; active (36)</li><li>• Enterprising (3)</li><li>• Exercise, exertion; amel. (4)</li><li>• Fancies; exaltation of (75)</li><li>• Hurry, haste (131)</li><li>• Ideas; many, too, abundant (71)</li><li>• Industrious, mania for work (120)</li><li>• Intellectual (35)</li><li>• Memory; active (30)</li><li>• Precision of mind increased (9)</li></ul>
←	Complete Dynamics © Eduard van Grinsven	Complete Repertory 2023 © 2023 Roger van Zandvoort	→

All remedies are shown.

ABUSIVE	MIND	MIND	ABUSIVE
<b>ABUSIVE, insulting:</b> (124) <ul style="list-style-type: none"><li>• General (1789)</li><li>• Answer, answering, answers; offensive (1)</li><li>• Contemptuous (119)</li><li>• Cursing, swearing, desires (141)</li><li>• Insolence, impertinence (51)</li><li>• Nipping at everyone (1)</li><li>• Quarrelsomeness, scolding (284)</li><li>• Rudeness (92)</li><li>• Mirrill's themes; offensive (458)</li><li>• Psychological themes; aggression (975)</li></ul> <b>forenoon:</b> (1) <ul style="list-style-type: none"><li>• Forenoon (118)</li></ul> <b>evening:</b> (2) <ul style="list-style-type: none"><li>• Evening; agg. (436)</li></ul> <b>acts, after indecent:</b> (1)angry, without being: (2) <b>crying, with:</b> (1)drunkards, in: (3) <ul style="list-style-type: none"><li>• Alcoholism, dipsomania; agg., ailments from (63)</li></ul> <b>fever, during</b> <ul style="list-style-type: none"><li>• Fever; during (327)</li></ul> <b>intermittent:</b> (1) <ul style="list-style-type: none"><li>• Fever; during (327)</li><li>• Fever, heat; intermittent, malarial (360)</li></ul> <b>typhoid:</b> (1) <ul style="list-style-type: none"><li>• Fever, heat; continued, typhoid (251)</li></ul> <b>irritability, with:</b> (3) <ul style="list-style-type: none"><li>• Irritability (878)</li></ul> <b>jealousy, out of:</b> (3) <ul style="list-style-type: none"><li>• Jealousy (157)</li></ul>	<b>ABUSIVE, insulting (cont.)</b> <b>menses, before:</b> (2) <ul style="list-style-type: none"><li>• Menses; before (224)</li></ul> <b>molestation, after:</b> (1) <b>mamma molested:</b> (1) <b>opposition, from:</b> (3) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (458)</li></ul> <b>pain, with:</b> (2) <ul style="list-style-type: none"><li>• Cursing, swearing, desires; pains, at (5)</li></ul> <b>associates, to:</b> (1) <b>calling names and scolding,</b> <b>irritation agg.:</b> (1) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (458)</li></ul> <b>cares not what she says:</b> (1) <b>children insult parents:</b> (1) <ul style="list-style-type: none"><li>• Children; complaints in (381)</li><li>• Mirrill's themes; offensive (458)</li><li>• Psychological themes; aggression (975)</li></ul> <b>children, towards her:</b> (1) <b>exhausted, until:</b> (2) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (458)</li></ul> <b>family and children, to:</b> (6) <ul style="list-style-type: none"><li>• Mirrill's themes; child (426)</li><li>• Mirrill's themes; offensive (458)</li><li>• Psychological themes; aggression (975)</li></ul> <b>friends, even to his best:</b> (2) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (458)</li></ul> <b>husband, to:</b> (4) <ul style="list-style-type: none"><li>• Mirrill's themes; family (553)</li><li>• Mirrill's themes; offensive (458)</li></ul> <b>imaginary persons, at:</b> (1)	<b>ABUSIVE, insulting (cont.)</b> <b>indecent language, in puerperal mania:</b> (2) <ul style="list-style-type: none"><li>• Insanity, madness; delivery, parturition; after, puerperal (39)</li></ul> <b>passers-by:</b> (2) <b>scolds until the lips are blue and eyes stare and she faints:</b> (1) <ul style="list-style-type: none"><li>• Faintness, fainting, with (81)</li><li>• Face; bluish; lips (139)</li><li>• Generalities; faintness, fainting; blueness of face, with (10)</li><li>• Generalities; faintness, fainting; scolding, from (1)</li><li>• Mirrill's themes; offensive (458)</li></ul> <b>snub one who differed from him, desire to:</b> (1) <ul style="list-style-type: none"><li>• Mirrill's themes; offensive (458)</li></ul> <b>wife, to</b> <b>children, and:</b> (1) <ul style="list-style-type: none"><li>• Mirrill's themes; child (436)</li><li>• Mirrill's themes; offensive (458)</li></ul> <b>in front of children or vice versa:</b> (6) <ul style="list-style-type: none"><li>• Mirrill's themes; family (553)</li><li>• Mirrill's themes; offensive (458)</li><li>• Psychological themes; aggression (975)</li></ul> <b>ACCEPTANCE</b> <ul style="list-style-type: none"><li>• Appreciation, desires (109)</li><li>• Tranquillity, serenity, calmness; reconciling; fate, to (23)</li><li>• Yielding disposition (109)</li><li>• Yielding disposition; no, cannot say, complies (30)</li></ul>	<b>ACCOUNTS, makes mistakes in</b> <ul style="list-style-type: none"><li>• Mistakes, making; calculating, in (27)</li></ul> <b>ACCUSATIONS, unjust, agg.:</b> (8) <ul style="list-style-type: none"><li>• Injustice, cannot support (99)</li></ul> <b>ACRIMONIOUS</b> <ul style="list-style-type: none"><li>• Devils; events, on past disagreeable (158)</li></ul> <b>ACT for herself, no longer wishes to, in nervous debility:</b> (1) <ul style="list-style-type: none"><li>• Dependence (81)</li><li>• Will; loss of (108)</li></ul> <b>ACTIONS</b> <b>absent, as if</b> <ul style="list-style-type: none"><li>• Absent-mindedness (332)</li></ul> <b>foolish</b> <ul style="list-style-type: none"><li>• Foolish behavior (160)</li></ul> <b>insane</b> <ul style="list-style-type: none"><li>• Insanity, madness (262)</li></ul> <b>ludicrous</b> <ul style="list-style-type: none"><li>• Foolish behavior (160)</li></ul> <b>masculine:</b> (1) <b>ACTIVITY:</b> (292) <ul style="list-style-type: none"><li>• General (1759)</li><li>• Bed; aversion to (23)</li><li>• Buoyancy (50)</li><li>• Busy (158)</li><li>• Concentration; active (145)</li><li>• Enterprising (5)</li><li>• Exercise, exertion; amel. (23)</li><li>• Fancies; exaltation of (152)</li><li>• Hurry, haste (322)</li><li>• Ideas; many, too, abundant (182)</li><li>• Industrious, mania for work (329)</li><li>• Intellectual (113)</li><li>• Memory; active (132)</li></ul>
←	Complete Dynamics © Eduard van Grinsven	Complete Repertory 2023 © 2023 Roger van Zandvoort	→

## Text size

Text can be made smaller or larger. (Popup menu option *Smaller text*, popup menu option *Standard text size*, popup menu option *Larger text*).

On the iPad, you can make the text smaller or larger with the pinch gesture. Place two fingers on the screen and move them from or towards each other to change the text size.

## Navigation


Button	Gesture	Action
	Swipe up.	Previous rubric.
	Swipe down.	Next rubric.
↕	Swipe 2 fingers up.	Previous main rubric.
↕	Swipe 2 fingers down.	Next main rubric.
←	Swipe right.	Previous page.
→	Swipe left.	Next page.
↔	Swipe 2 fingers right.	Previous chapter.
↔	Swipe 2 fingers left.	Next chapter.
◀		Jump back in history. Use this after following a reference to another rubric, to go back to where you came from.
▶		Jump forward in history. Used in combination with the previous option. These two work like the keys commonly used in web browsers, to go backwards and forwards between web pages.

## Copying a rubric to the clipboard

Sometimes it is useful to copy a rubric to the clipboard and paste it into another application, like a word processor. (Popup menu option *Copy / Copy rubric label*, popup menu option *Copy / Copy rubric and remedies*).



## Language selection

Depending on the program edition and license, several language options for *Complete Repertory* might be available. Available language options can be selected from the menu or via the button bar. (Popup menu option *Language / Book English*). (Flag button, )

In the *Practitioner edition*, a second language can be selected (options depend on your license) to show the rubric text in another language. For example French: (Popup menu option *Language / Book extra French*).

ABUSIVE		MIND		MIND		ABUSIVE	
<b>ABUSIVE, insulting:</b> (124)		<b>ABUSIVE, insulting (cont.)</b>		<b>ABUSIVE, insulting (cont.)</b>		<b>ABUSIVE, insulting (cont.)</b>	
<ul style="list-style-type: none"> <li>• General (1769)</li> <li>• Answer, answering, answers; offensive (1)</li> <li>• Contemptuous (119)</li> <li>• Cursing, swearing, desires (141)</li> <li>• Insolence, impertinence (55)</li> <li>• Nipping at everyone (1)</li> <li>• Quarrelsome, scolding (284)</li> <li>• Rudeness (92)</li> <li>• <i>Mrill's</i> themes; offensive (458)</li> <li>• Psychological themes; aggression (975)</li> </ul>		<ul style="list-style-type: none"> <li>• <i>Menses</i>, before (234)</li> <li>• molestation, after: (1)</li> <li>• mamma molested: (1)</li> <li>• opposition, from: (3)</li> <li>• <i>Mrill's</i> themes; offensive (458)</li> <li>• pain, with: (2)</li> <li>• Cursing, swearing, desires; pains, at (5)</li> <li>• associates, to: (1)</li> <li>• calling names and scolding, irritation about: (5)</li> <li>• <i>Mrill's</i> themes; offensive (458)</li> <li>• evining, after: (1)</li> <li>• Forenoon (118)</li> <li>• evening: (2)</li> <li>• Evening, after (436)</li> <li>• acts, after incident: (1)</li> <li>• angry, without being: (2)</li> <li>• crying, with: (1)</li> <li>• drunkards, in: (3)</li> <li>• Alcoholism, dipsomania, aggr., ailments from (63)</li> <li>• fever, during <ul style="list-style-type: none"> <li>• Fever, during (327)</li> </ul> </li> <li>• intermittent: (1)</li> <li>• Fever, during (327)</li> <li>• Fever, heat, intermittently, malarial (26)</li> <li>• typhoid: (1)</li> <li>• Fever, heat, continued, typhoid (251)</li> <li>• irritability, with: (3)</li> <li>• Jealousy, after (578)</li> <li>• jealousy, out of: (3)</li> <li>• Jealousy (157)</li> </ul>		<ul style="list-style-type: none"> <li>• <i>Menses</i>, before (234)</li> <li>• insanity, madness; delivery, partition; after, <i>puerpera</i> (39)</li> <li>• passers-by: (2)</li> <li>• scoldings and the lips are blue and eyes stare and she faints: (1)</li> <li>• Faintness, fainting, with (81)</li> <li>• Face, bluish; lips (139)</li> <li>• Generalities; faintness; fainting; blueness of face, with (10)</li> <li>• Generalities; faintness, fainting; scolding, from: (1)</li> <li>• <i>Mrill's</i> themes; offensive (458)</li> <li>• snub one who differed from him, desire to: (1)</li> <li>• <i>Mrill's</i> themes; offensive (458)</li> <li>• wife, to</li> <li>• children, and: (1)</li> <li>• <i>Mrill's</i> themes; child (436)</li> <li>• <i>Mrill's</i> themes; offensive (458)</li> <li>• in front of children or vice versa: (6)</li> <li>• <i>Mrill's</i> themes; family (553)</li> <li>• <i>Mrill's</i> themes; offensive (458)</li> <li>• Psychological themes; aggression (975)</li> </ul>		<ul style="list-style-type: none"> <li>• mistakes, making; calculating, in (307)</li> <li>• ACCUSATIONS, unjust, aggr.: (1)</li> <li>• Injustice, cannot support support (98)</li> <li>• ACIDIMUS <ul style="list-style-type: none"> <li>• Devils, events, on past disagreeable (158)</li> </ul> </li> <li>• ACT for herself, no longer wishes to, in nervous debility: (1)</li> <li>• Dependence (81)</li> <li>• Will; loss of (108)</li> <li>• ACTIONS</li> <li>• absent, as if <ul style="list-style-type: none"> <li>• Absent-mindedness (332)</li> </ul> </li> <li>• foolish</li> <li>• insane <ul style="list-style-type: none"> <li>• Insanity, madness (262)</li> </ul> </li> <li>• ludicrous <ul style="list-style-type: none"> <li>• Fools; behavior (160)</li> </ul> </li> <li>• masculine (975)</li> <li>• ACTIVITY: (292)</li> <li>• General (1768)</li> <li>• Bed, aversion to (23)</li> <li>• Boredom (50)</li> <li>• Busy (158)</li> <li>• Cerebral, activity: (145)</li> <li>• Enterprising (65)</li> <li>• Exercise, exertion, amel. (23)</li> <li>• Fatigue; exhaustion (162)</li> <li>• Hurry; haste (322)</li> <li>• Ideas, many, too, abundant (162)</li> <li>• Industries, mania for work (329)</li> <li>• Intellectual (113)</li> <li>• Memory; activity (132)</li> </ul>	

### Favorite rubrics

You might consider some rubrics important, and others not so important. This is especially true when you use the *Find module* to look for rubrics. To put extra emphasis on the rubrics that are important to you, you can mark them as being a favorite.

To mark a rubric as a favorite, click on the rubric and then mark it. (Popup menu option *Rubric is a favorite*).

Any rubric that is marked as a favorite, will be drawn underlined.

Once you have marked any rubrics as being favorite, an extra field will appear in the *Find module*, allowing you to restrict a search to only your favorite rubrics.

### Remedy filter

An option is available in the toolbar, by which you can select a group of remedies.

A number of frequently used groups are predefined (minerals, plants, animals, nosodes). To choose another group, simply select option *Other...* and a dialog will appear in which you can select one of the groups in the *Kingdoms & Families* section.

**Kingdoms & families**

- Acids (72)
- Agents & toxins (56)
- Alkaloids (85)
- Amides (9)
- Amino acids (22)
- Anaerobes (27)
- Animals (322)
- APG II taxonomy
- Bacteria (62)
- Bloods (37)
- Body products (84)
- Building steps (3)
- Permanently add to list ☐

### Rubric selector

**KINGDOMS & FAMILIES; ACIDS:** acet-ac acon-ac agarin ami-sal-ac amp amyg-am asc-ac benz-ac betin bor-ac brom-ac but-ac camph-ac carb-ac chr-ac chrys-ac cit-ac coenz-a cortico cystin d-phenyl des-ac fl-ac form-ac fumar-ac gaba gall-ac guan hemog hip-ac histid hydr-ac hydrobr-ac i-leuc iod-ac kali-ar kali-x keto-ac l-leuc l-phenyl lac-ac lanol mal-ac methion mur-ac n-leuc nit-ac nit-m-ac ol-suc oro-ac ox-ac ph-ac pic-ac prol pyro-ac rib-ac sal-ac salol sarcol-ac succ-ac sul-ac sul-ac aro sulo-ac tann-ac tart-ac tell-ac thio-ac threnin trypt tyrin ur-ac vali

Use the filter option to quickly find the right remedy group:

Filter

Kingdoms & families

Australian funnelweb spiders (1)

Burrowing spiders (1)

Cellar spiders (1)

Daddylongleg spiders (1)

Funnel web spiders (3)

Hunting spiders (10)

Jumping spiders (2)

Orb web spiders (2)

Recluse spiders (3)

Sand recluse spiders (2)

Sixeyed sicariid spiders (5)

Spiders (20)

Permanently add to list

☐

Rubric selector

KINGDOMS & FAMILIES; TAXONOMY; common names; English; Australian funnelweb spiders: atra-r

Complete Dynamics © Eduard van Grinsven

Cancel

OK

### Book module standard repertory filters

Normally, the *Book module* shows the complete contents of the *Complete Repertory*.

A few standard filters are available. You can select them via the menu bar, or via the popup menus on the edges of the page. (Popup menu option *Book selection / Complete*).

<i>Complete</i>	Show the entire repertory, without filtering.
<i>Classic</i>	Show only rubrics and remedies from classic authors. This limits the repertory to rubrics that occur in the main classic repertories, and remedies from books before 1930.
<i>Reliable authors</i>	Show only authors that are considered to be the most reliable, according to George Vithoulkas.
<i>Kent rubrics</i>	Repertory is limited to rubrics derived from Kent's repertory.
<i>Rubrics from Allen's Therapeutic Pocket Book</i>	Repertory is limited to rubrics derived from Allen's Therapeutic Pocket Book.

If a filter is selected, its name is shown in the header of the repertory book layout. This way you can easily see which repertory option you are using.

Note: The repertory filters are applied only to the contents of the *Complete Repertory*.

In case your license supports the use of additional repertories, or in case you have created extra repertory material yourself, the filters do not apply to that material.



## Find module

## Opening the Find module

Go to the Find module by clicking on the *Find* tab.

**MIND**

mind; delusions, imaginations; lion?

four pm  
lyc

Remedies  
Min. grade 2 - +  
Min. rubric size 0 - +  
Max. rubric size 9999 - +

Complete symptoms ☐

Chapters  
Rubric types

**MIND**  
ANXIETY; afternoon; agg.; four pm.: LYC (+8)  
CONSCIENTIOUS about trifles; four pm. - eight pm.: LYC  
WEEPING, tearful mood; afternoon; agg.; four pm.: LYC (+2)  
WEEPING, tearful mood; afternoon; agg.; four pm.; eight pm., until LYC (+1)

**HEAD**  
PAIN, headache; afternoon; agg.; four pm.: LYC (+54)  
PAIN, headache; afternoon; agg.; four pm.; eight pm., until LYC (+4)  
PAIN, headache; vertex; afternoon; four pm. - eight pm.: LYC  
PAIN, headache; pressing; vertex; afternoon; four pm. - eight pm.: LYC

**EYES**  
PAIN; afternoon; four pm.: LYC (+7)  
PAIN; afternoon; four pm.; eight pm., until LYC

**VISION**  
AFTERNOON; three pm. or four pm.: LYC (+10)  
LOSS of, blindness; afternoon; four pm.: LYC

**HEARING**  
NOISES; afternoon; four pm.: LYC (+2)  
REVERBERATING, echoes and reechoes; four pm.: LYC  
ROARING; afternoon; four pm.: LYC





**NOSE**  
EPISTAXIS, hemorrhage; afternoon; four pm.: LYC (+1)

**FACE**  
PAIN; afternoon; four pm.: LYC (+7)  
PAIN; afternoon; four pm.; eight pm., until LYC

**THROAT**


## Find fields

At the left side of the screen you can fill in what you want to find. (An alternative way to enter what you want to find is by using the powerful *Find* field at the bottom of the window, see the section *Find field* for details on using this single field for powerful searches.)

Text	<input type="text"/>	
Remedies	<input type="text"/>	
Min. grade	<input type="text" value="1"/>	<div><div>-</div><div>+</div></div>
Min. rubric size	<input type="text" value="0"/>	<div><div>-</div><div>+</div></div>
Max. rubric size	<input type="text" value="9999"/>	<div><div>-</div><div>+</div></div>
Complete symptoms	<input type="checkbox"/>	
Chapters	<input type="text"/>	
Rubric types	<input type="text"/>	

[Clear](#)

Text	
Enter text fragments to look for:	
xyz	Any word starting with xyz.
=xyz	Word must be exactly xyz.
*xyz	Word contains xyz anywhere in its text.
"abc xyz"	Text combination <i>abc</i> followed by <i>xyz</i>
abc + def	Both texts <i>abc</i> AND <i>def</i> must occur.
abc+def	Same as above, spaces are optional.
abc def	Same as above, AND is the default. (A + is automatically inserted before <i>def</i> .)
-abc	Text <i>abc</i> must NOT be present in the text. This can be combined with =, * and "" as shown above. Examples: -= <i>morning</i> - <i>*ation</i> -" <i>from bed</i> "
abc / def	Either <i>abc</i> OR <i>def</i> must occur (spaces are optional).
Combinations of these are possible. Examples:	
four/eight pm	( <i>four</i> OR <i>eight</i> ), AND <i>pm</i> .
pm four/eight	Same as above, the order is not important.
"rising from bed" morning	The sequence <i>rising from bed</i> , AND <i>morning</i> .
fear / anxiety crowd/people	( <i>fear</i> OR <i>anxiety</i> ) AND ( <i>crowd</i> OR <i>people</i> ). (A + is automatically inserted before <i>crowd</i> )

Remedies	Enter the abbreviations of remedies to look for. Pressing the  button, located near the right side of the field, will pop up a search window allowing you to interactively select a remedy, in case you do not know the abbreviation by heart.	
	sep	Remedy <i>sep</i>
	sep.	Same as above, the dot notation can be used, but is not needed here (it is needed in the <i>Find</i> field).
	-sep	Remedy <i>sep</i> must NOT be present in the rubric.
	sep / nat-m	Either remedy <i>sep</i> OR <i>nat-m</i>
	sep nat-m	Same as above, OR is the default. (A / is automatically inserted before <i>nat-m</i> )
	sep/staph+nat-m/mag-m	( <i>sep</i> OR <i>staph</i> ) AND ( <i>nat-m</i> OR <i>mag-m</i> )
	sep. staph. + nat-m. mag-m.	Same as above. (A / is automatically inserted before <i>staph</i> and before <i>mag-m</i> )

<i>Min. grade</i>	Enter the minimum gradation for remedies (1 to 4).
-------------------	--

*Min. rubric size* Enter the minimum number of remedies in a rubric.

*Max. rubric size* Enter the maximum number of remedies in a rubric.

*Complete* Restrict search to complete symptoms.

*Complete Symptoms* Restrict search to complete symptoms.  
A complete symptom is a symptom that consists of a Location, a Sensation, and Modalities or Concomitants. This option is used exclusively when searching in the *Complete Repertory*. Other repertories generally do not contain this information.

**Repertory** This option is only shown in case your license supports the use of multiple repertories. It allows you to search exclusively in the repertory that is currently opened in the *Book* module, or in all available repertories.

*Chapters* Pressing the **Q** button, located near the right side of the field, will pop up a window allowing you to interactively select chapters.

*Rubric types* Pressing the **Q** button, located near the right side of the field, will pop up a window allowing you to interactively select rubric types, like Times, Sides, Location etc..

In case your license supports the use of additional repertories, please note that additional repertories have often not tagged the rubrics as Times, Sides, Location etc. Any selection you make here, can only be applied to repertories that have been properly prepared for this, like the *Complete Repertory*.

Searching will start automatically after entering your search criteria, there is no need to press any button.

Note that for text the default for multiple fragments is AND, but for remedies it is OR.

The reason for this is that when entering multiple text fragments you most likely intend to restrict the search result, whereas for multiple remedies you might want to do differential diagnosis.

Find results

On the iPad, searching will start as soon as you finished typing into a field. When you type using the onscreen keyboard, you must first hide that. In case you are using an external keyboard, hit the Enter key.

The results of a find request are shown on the right side of the window.

The level of detail depends on what has been searched for. If remedies were searched for, the selected remedies are included in the find result. If only text was searched for, no remedies are shown.

In short, the find result focuses on what you asked for, not the details that are not asked for.

The find result area has many similarities with the *Book* module.


Navigation is done with the same keyboard, mouse, button bar, or menu features.

Also, the layout is automatically adjusted to the size of the window.

In the *Find* module, showing remedies is restricted to the somewhat smaller rubrics. Rubrics with many remedies show only the number of remedies.

In addition to the navigation options in the *Book* module, the find result offers the option of jumping straight to a rubric in the book, by simply double clicking on a rubric with the mouse.

Differential Diagnosis in Find module

In the *Find module*, Differential Diagnosis shows a list of relevant remedies for all rubrics that are found, similar to an analysis. (Toolbar button , popup menu option *Remedies / Show DD remedies*).


In this example, after looking for *during convulsions* :

MIND	
ACTIVITY; aversion to activity around her, during convulsions: (1)	cupr
ANGER; convulsions; during epileptic: (1)	cic
ANXIETY; convulsions; during: (27)	bell
ANXIETY; heart region; convulsions, during: (3)	hyos
ANXIETY; heart region; convulsions, during; epileptic: (1)	op
BARKING; convulsions; during: (4)	lach
BITING; convulsions, during: (32)	stram
CLINGING; children, of; convulsions, during: (1)	nux-v
COMPANY; aversion to; convulsions, during epileptic: (1)	ign
CONFUSION of mind; convulsions; during: (18)	caust
CONFUSION of mind; convulsions; during; epileptic: (6)	camph
CONFUSION of mind; convulsions; during; puerperal: (1)	oena
CONVULSIONS; during: (173)	ars
CONVULSIONS; during and after: (44)	sec
CURSING, swearing, desires; convulsions, during: (2)	mosch
CUT, mutilate, slit, desire to; oneself; convulsions, during: (1)	calc
DANCE, desires to; convulsions, during: (1)	cham
DEATH; desires; convulsions, during: (1)	absin
DEATH; presentiment of; convulsions, spasms, during: (1)	sulph
DELIRIUM; convulsions; during: (24)	bufo
DELIRIUM; convulsions; during; epileptic: (8)	plb
DELIRIUM; convulsions; during; lead colic, in: (2)	verat
DELIRIUM; raging, raving; convulsions; during: (1)	sil
DELUSIONS, imaginations; convulsions; during: (10)	cina
DELUSIONS, imaginations; head; forehead is swelling suddenly, during headache, before convulsions: (1)	verat-v
DELUSIONS, imaginations; images, phantoms, sees; frightful; convulsions; during: (3)	plat
DELUSIONS, imaginations; man; huge, drunk, lies down beside her, begs him to retire; convulsions, during: (1)	art-v
	lyc
	ip
	glon
	hydr-ac
	cocc
	merc
	sep
	zinc
	stry
	puls
	acon
	canth

## Case module

### Opening the Case module

Go to the Case module by clicking on the *Case* tab.



The Case module enables you to create and organize your patients' case files, register prescriptions that you have made, and create and organize analyses.

Working with the Case module is like working with real case files.

Cases are organized into groups, like you would organize your case files in different file cabinets or drawers in real life. You first select the group or groups you want to work in.


Cases in the selected groups are shown in a list, with only a summary of the patient information: Name and year of birth. The cases can be filtered by entering one or more parts of the patient name in the *Filter* field below the list.

Once a case has been selected in the list, the case file is shown on the right side of the screen.

The next step would be to open the case file, but we will first go into a few details about this part of case management.

### Selecting groups and creating your own groups

You can see the selector of groups as a kind of drawer cabinet.



In this picture, the *Patients* drawer has been opened.

The standard groups are:

*Patients* All case files that are marked as *Patient* in the case description (more info below) and of which you are the author.

*Colleagues* All case files that are marked as *Patient* in the case description and of which someone else is the author.

*Study* All case files that are marked as *Study*. These are cases that are not directly related to any of your patients, but for your personal study only.


*Seminars* All case files that are marked as *Seminar*. You create cases in this group for any cases that occur in seminars and trainings.

*Other* All cases that do not fall into any other group.

*Archived* All cases that you have archived.

Archived cases no longer appear in any of the other groups.

You can open one or more drawers at the same time. Just click on a drawer to open it or to close it. Double clicking on one of the drawers will open it and close all others at the same time.



Two drawers are opened.

The list with cases will show all cases that are marked as 'Study' or as 'Seminars'.

Of course these groups do not match your personal wishes. Creating new drawers with your own groups is easy. When editing the case information, you can specify which groups the case should be in. You can use the three standard groups 'Patient', 'Study' and 'Seminar', but you can also type your own group names. New drawers will be added to the list automatically:



The drawers *Family*, *Teaching* and *Workgroup* are added to the list automatically because in some of the cases these group names were used in the case information.

**Selecting the right case file**

All cases that match the selected group or groups are shown in the list. If you fill in some text in the *Filter* field, the list is restricted to those cases that match the filter text. An example of using the filter:

Patients

Colleagues

Study

Seminars

Other

Archived

Filter

Abif, Hiram

Al-Rashidi, Muhammed - 1989 (...)

Andrews, Sandra - 1972 (51)

Baker, Charles

Barrett, Elizabeth Jane - 1950 (72)

Boyle, Susan - 1961 (61)

Clappin, Charles Bernard - 1958...

Clappin, Edward - 1960 (63)

Garrod, Rishi - 1955 (68)

Grinsven, Eduard van - 1959 (63)

Grinsven, Kyra van - 1991 (32)

Grinsven, Michel van - 1960 (63)

Huidekoper, Rolf - 1990 (33)

...

Open New Edit Archive

Patients

Colleagues

Study

Seminars

Other

Archived

Filter

Huidekoper, Rolf - 1990 (33)

Rolf, Charles - 1972 (51)

Rolf, Saskia - 1973 (50)

Rolf, Victor - 1970 (53)

...

Open New Edit Archive

Patients

Colleagues

Study

Seminars

Other

Archived

Filter

Rolf, Victor - 1970 (53)

...

Open New Edit Archive

The filter has some very powerful options to select the right case. It uses the same filtering criteria as the *Find* field uses for text and remedies. In the *Case module*, text is the name as shown in the list, and remedies are any remedies that have been prescribed to the patient (or have NOT been prescribed). Please refer to section *'Find' field* for details.

Example: To look for a patient named *John* or *Joseph*, who has been prescribed *nux-v*, but never *sulph*, just type:  
*john / joseph nux-v. -sulph.*  
 (Note the dot behind the remedy names!).

### Case file summary

When you have selected a case file, part of the case information is drawn at the right side. The information includes:

- Name of the author of the case.
- Patient information (name, address, birth date).
- A photo (if present).
- List of most recent prescriptions.

Example:

Case file Eduard van Grinsven

Barrett, Elizabeth Jane

July 4, 1950 (72)

379 San Vicente blvd

CA 90049 Santa Monica, LA

USA

310-442-8447

Jan 25, 2013 phos C30

Jan 25, 2013 phos C30

Nov 5, 2009 coff LM2

Jan 5, 2009 nat-m LM1

Mar 20, 2008 ph-ac LM2

Feb 2, 2008 ph-ac LM1

Nov 5, 2007 cemic C200

Aug 5, 2006 sep C200

Jul 2005 arn C30

Apr 2003 dros C30

### Creating a case file

You can create a new case file by clicking the *New* button. This will bring up a dialog where you can enter patient information, as well as case background information.

#### Editing case data

In the *Patient* section, you can fill in all personal information you want to store about the patient. Press the *Photo* button to take a picture. The photo is automatically resized. Remove an existing photo with the *Clear* button.  
 If the patient's birth year, month or day are not known, simply fill in 0.  
 In case the exact birth day is not known, but the patient only provides the current age, you can enter the age in the field Birth year.  
 If you fill in the patient's email address, you can easily send an email.

Case information

Family name

Barrett

First name

Elizab...

Middle name

Jane

Initials

E.J.M.

Gender

Female

Birth year

1950


Birth month

7

Birth day

4

Photo



Photo

Clear

Rotate

Personal info

Address info

Family info

Case groups

Case background

Cancel

OK

In the *Case* section, you can enter some background information about the case, that is not related to the patient itself.  
 In the *Case groups* group, you can select one of the standard groups, and/or fill in your own group names separated by spaces or semicolons.  
 The *Case background* group is useful if this case originates from a seminar, magazine etc, and you want to remember where the case comes from.

Case information

Patient

☒

Study

☐

Seminar

☐

Other groups

Personal info

Address info

Family info

Case groups

Case background

Cancel

OK

## Opening a case

You can open an existing case file by selecting it in the list, and then clicking the *Open* button.  
 You can also double click on the entry in the list.  
 When you create a new case, it is then automatically opened.

After opening a case file, it shows contents that you would normally expect inside a real life case file too:

- a piece of paper with patient information,
- a form with prescriptions,
- a form with an overview of all analyses in the case file,
- a sheet of paper for every analysis,
- a sheet of paper with case background information.

Example:



## Analysis

Description

Diagnosis

Notes

Year 2023    
Month 3    
Day 3

[Cancel](#) [OK](#)

If the month or day are not known, simply fill in 0.

Delete an analysis by selecting it in the list, then Delete analysis. (Popup menu option *Delete analysis*).

Edit an analysis by double clicking on the entry in the list. (Popup menu option *Edit analysis*).

If you want to copy an analysis, as the basis for a new analysis, use Duplicate analysis. (Popup menu option *Duplicate analysis*).

To move an analysis to another case, use menu option Move analysis to case. (Popup menu option *Move analysis to case...*).

If you click on one of the analyses in the list, this analysis becomes the one that is used by the *Analysis module* (see section *Analysis*).

## Printing

You can print your case, or parts of it. (Popup menu option *Print*).

A dialog allows you to select what you want to print:

**Print options**

What to print?

Case cover ☐

Analyses

Analysis details ☐

Rubrics and remedies ☐

Printing options

Color ☒

High resolution ☐

[Cancel](#) [OK](#)

**Case cover** If you check this option, the first page of the print will contain patient information, as well as an overview of prescriptions.

**Current analysis** Select this option if you only want to print the currently selected analysis, with the settings as they are used in the *Analysis module*.

**No analyses** Select this option if you do not want to print any of the analyses (just the case cover).

**Analysis details** If you check this option, the information you entered for each analysis will be printed (diagnosis, notes).

**Rubrics and remedies** If you check this option, every analysis print will contain an overview of all remedies in rubrics that are used in the analysis.

Please note that due to copyright restrictions, at most 20 rubrics will be printed with all their remedies. If you print more than 20 rubrics, the rubrics with the most remedies will not list their remedies.


**Color** Print in color. If not checked, printing is optimized for black and white printers.

**Write to HTML file** Select this option to write to a HTML file. This is a convenient format if you want to copy parts of the output into other documents.

## Password protection

Your patient information can be protected against unwanted access by others, while you are away from your computer.

For this, you can set a password.

If a password has been set, a new button  will appear in the *Case module*.

When you press that button, the case module will immediately be locked, and the password must be entered to open it.

It is also possible to automatically lock the case information, after you have not used the program for some time.

The time before automatic locking can be configured by you, in the *Preferences* settings.

If you set the time to 0 minutes, no automatic locking will be done.

Be very careful when setting a password. Besides you, nobody else knows your password. If you forget your password, it is like losing the keys to your house; no more access.

## Archiving and deleting



## Archiving cases

If you no longer want a case to be shown in the list of your cases, you can archive it. After archiving a case, it will appear in the group *Archived*.

While it is archived, you can still open the case. If you make any changes to the case, it is automatically removed from the *Archived* group and put back with your other active cases.

You can archive multiple older cases. (Popup menu option *Archive old cases*).

In the dialog that opens, you can specify a number of months. A list shows all the cases that have not been modified for the given number of months. Next you can archive all the cases that are selected in the list.

## Deleting a case file

If you no longer want to keep a case file, you can delete it. A case can only be deleted after it has been archived.

It is also possible to have older archived cases be deleted automatically. There is an option for that in the *Preferences* settings. By default, archived cases are not automatically deleted.

## Automatic backups

If you unintentionally deleted a case file, you can restore it from a backup.

Backups are made automatically.

- Every day, for the last month.
- Every month, for the last year.
- After one year, a backup is removed permanently.
- Note that backups are stored locally on your computer.

## Cloud Server

### Introduction

In case you use more than one computer for your practice, you may want to keep your case information synchronized between them. This way, you will always have up-to-date case information wherever you work. Even if you're on the road, with your phone or a tablet.

Our Cloud Server offers a flexible and easy mechanism to automatically synchronize your cases.

Contrary to many other Cloud solutions, you can use *Complete Dynamics* both with and without internet connection. Without internet connection, all your cases are stored locally on your device. All the changes you make are stored locally. When an internet connection is available, your cases can be synchronized automatically via the Cloud Server.

If you make changes to cases on different devices, while not connected to internet, that does not make any difference. When the connection to the Cloud Server is available, all the changes you made on the different devices can be merged together. Even if you worked on the same case.

### What does the Cloud Server do?

The purpose of the Cloud Server is to keep your cases identical on all the devices that use this service.

What you add on one device, will be added on the other devices.  
What you change on one device, will be changed on the other devices.  
What you delete on one device, will also be deleted on the other devices.  
Archiving a case implies it will also be archived on the other devices.

### The advantages of using the Cloud Server

- Your cases are up to date after automatic synchronization, no matter what device you are using.
- Works with all the devices that are in your license.
- You can work without internet connection.
- Synchronization is automatic once internet is available.
- There is always a copy of your cases, in case your computer dies.

### For which devices should I use the Cloud Server?

This is your own choice.

If you use one computer, the Cloud Server can be used to secure a copy of your cases. In case your computer dies, the cases can automatically be transferred to your new computer.

If you use two or more devices, the Cloud Server can apply changes you made on one device to the other devices.

You decide for each device that you use, whether it should use the Cloud Server or not. For example, you could use the Cloud Server for the computers at home and in your office, but not for your phone.

## Security and privacy

We are aware that security and privacy are extremely important.

### Security

Your case data is very well protected.

- Access to the Cloud Server is only possible from a device that has a valid license in your name.
- No other device has access to your cases.
- An extra password is required, that only you know.
- The connection to the server is encrypted.

### Privacy

You are not obliged to use our Cloud Server. We understand very well that maybe you do not want your patient's information to be stored somewhere on a remote computer. It is totally your decision whether to use the Cloud Server or not.

We fully respect the privacy of you and your patients. We won't use or process your data in any way. All the Cloud Server does is copying it to and from your devices.

### Setting up the Cloud Server

To start using a device with the Cloud Server, you first have to activate it. Activation is done in the *Preferences*, section *Case*. Here you can select the option *Use Cloud Server*.

If this is the first time you activate the Cloud Server, you are automatically guided to create the PIN that protects your case data. You can always change this PIN later. Don't forget your Cloud PIN, you will need it when activating another device.

### Cloud Server status

At the top of the page in the *Case* module, an icon indicates the state of the server connection.

- ☁ The Cloud Server is available.
- ☁ Communication in progress.
- 🚫 No internet connection, or the server is temporarily offline.
- if no icon is shown, the Cloud Server is not yet configured.

When you click on the icon, synchronization is performed immediately.

### Restrictions

The purpose of the Cloud Server is to apply all changes made on one device, to all the other devices. But this is not always possible. It will help you to understand what the restrictions are.

Especially when working off-line, it might happen that changes to the same case are made on different devices before a connection to the Cloud Server is reestablished. Normally, that would rarely pose a problem.

The information in a case is built up of several independent elements:

- The information about the patient.
- The information about the case.
- Each analysis.
- Each remedy prescription.

You can make changes to one of these elements, and changes to another element on another device.

But if for instance you change the same analysis on two devices, only the last change will be saved.

If you change one analysis on one device, and another analysis on another device, that will not be a problem.

Or if you add a remedy prescription on one device, and another remedy prescription on another device, that will not be a problem.

### Backups

The cases stored on the Cloud Server are a copy of the cases on your device. The original data is on your device.

You are always responsible yourself for making backups of your computer.

## Case Sharing

### Sharing you cases with colleagues

It many situations, you may want to give one of your cases and/or analyses to a colleague, a fellow student, a teacher, or maybe publish it on an Internet forum.

Complete Dynamics offers you the possibility to export a case, full or only partial, to a file. This file can then be given to your colleague, and be imported on his/her computer. Your colleague does not need a *Practitioner Edition* license for this, with the free *Browser Edition* the file can also be imported and looked at.

Case sharing can also be done anonymously, thus ensuring the personal privacy of your patient and you.

How exporting and importing is done, is described below. First we'll look at another important feature of Case sharing.

### Synchronizing your cases between multiple computers

Manual synchronization is relevant only if you have opted not to use the automatic synchronization via the Cloud Server.

With Case sharing, you get two powerful options to take cases from one computer to another.

The easiest way is to export a full copy of your case database on one computer, and import it on the other computer.

This replaces all case information stored on the other computer.

This option can also be used to regularly create a backup of your case database.

The more advanced way is to export only the cases that are modified on one computer, and import them on the second. In this situation, only the modified information is copied and merged into the database on the second computer. This powerful synchronization mechanism even works when a case has been modified on both computers!

### Synchronizing cases between iPad and PC

Synchronizing cases between your iPad and your PC uses exactly the same mechanism as synchronizing between multiple PCs. The difference lies in the way that the export files are moved to and from the iPad.

Between two PCs, your can for instance use a USB stick to transfer the file. For your iPad, transferring files is done using the iTunes application on your PC.


In iTunes, files can be copied to and from *Complete Dynamics* on your iPad.

To do this, select your iPad in iTunes, and open the section Apps. Below the list of Apps, you will see a list of Apps that allow Files sharing. You should see *Complete Dynamics* in that list. Select the *Complete Dynamics* App by clicking on it. On the right side of the App, there is an area where you can add or delete files. A case export file created on your iPad will be found there and can be copied to your PC to be imported there. An

export file created on your PC can be added here, and will then be available for import on your iPad.

For more information, please refer to the Help sections of iTunes.

On the iPad, the popup menu with the options described in the next sections, can be opened in the *Case module*, on the left side of the screen.



### Exporting a single case

To export a single case, open the *Case module* and select the case that you want to export.

Then, use option Export current case... (Popup menu option *Sharing / Export current case...*).

A dialog opens, allowing you to select which parts of the case you want to export:

**Case Export options**

Author information ☒

Patient information ☒

Case notes ☒

Prescriptions ☒

Analyses

Jan 1, 2009-A simple analysis  
Jan 2, 2009-A simple analysis - with Groupi...  
Jan 3, 2009-A simple analysis - using Symp...  
Jan 4, 2009-An example of symptom and ru...  
Feb 1, 2009-Symptoms with many or few ru...  
Feb 1, 2009-Grouping example  
Mar 1, 2009-Simple classification example  
Jan 25, 2011-Bönnighausen style analysis  
Sep 1, 2015-Familv analysis

Password (optional)

[All](#) [None](#) [Cancel](#) [OK](#)

*Author information* If you uncheck this option, your name is not included in the export.

*Patient information* If you uncheck this option, the patient is made anonymous. Only the patient's gender and year of birth are used.  
If this option is checked, all the patient's personal information is included in the export.

*Case notes* With this option checked, your case background information is included in the export. (Case background, notes, and groups).

*Prescriptions* With this option checked, the prescriptions you have made are include in the export.

*Analyses* For every analysis in the case, you can decide whether you want to export it or not. Click on a line to toggle the selection on/off. The buttons *All* and *None* can be used to select all or none of the analyses, for easier selection.

*Password* If you enter a value here, the export file is protected by a password. In order to be able to import it, someone has to know the password. We recommend to use a password for any information that you share, except for anonymous cases that you want to publish for everybody on the Internet.

When you are ready, press the *OK* button, and you will be asked for a file name and location of your choice.  
A default file name is already filled in, but you can choose any name you want.

### Exporting a single analysis

To export a single analysis, open the case that contains the analysis, and select the analysis you want to export.  
Then, use menu option Export current analysis... (Popup menu option *Sharing / Export current analysis...*).  
A dialog opens, allowing you to select which parts of the case you want to export together with the analysis:

**Case Export options**

Author information ☒

Patient information ☒

Case notes ☒

Password (optional)

[Cancel](#) [OK](#)

For the meaning of the fields, see the information above.

### Exporting multiple cases

You can export multiple cases into a single file. (Popup menu option *Sharing / Export multiple cases...*).

### Case Export options

Patients

Colleagues

Study

Seminars

Other

Archived

Abif, Hiram

Al-Rashidi, Muhammed...

Andrews, Sandra - 1972...

Baker, Charles

Barrett, Elizabeth Jane -...

Boyle, Susan - 1961 (61)

Clappin, Charles Bernar...

Clappin, Edward - 1960...

Garrod, Rishi - 1955 (68)

Grinsven, Eduard van - 1...

Author information

Patient information

Case notes

Prescriptions

To protect the privacy, please use a password.

Password

Cancel OK

In the list with cases, select the ones you want to export by clicking on them.

#### Importing a case or analysis

When someone else has given you a case or analysis export file, you can easily import it with menu option Import. (Popup menu option *Sharing / Import...*).

You are asked for the file you want to import.

After selecting the file, it is imported into you case database. In case the file is password protected, you are asked for the password first.

You can find the imported case under group *Colleagues* if the author name was in the file, otherwise you will find it under group *Other*. After opening the case, you can easily change the case information yourself, or move an analysis to one of your other cases.

#### Exporting your entire case database

When you export your entire case database, it can only be imported on a computer that has a license that is registered under your name.

To export your entire case database, use menu option Export complete Case Database... (Popup menu option *Sharing / Export complete Case Database...*). A dialog opens, allowing you to provide a password to protect this file (highly recommended).

### Case Export options

To protect the privacy, please use a password.

Password

Cancel OK

After pressing the *OK* button, you will be asked for a file name and location.  
Take the file to another computer, and there do Import.

#### Exporting modified cases

Exporting modified cases is the most flexible way to synchronize case information between multiple computers.

To export modifications, use menu option Export modified cases. (Popup menu option *Sharing / Export modified cases...*). A dialog opens, allowing to specify what needs to be synchronized:

### Case Export options

Last synchronisation

Start at 3/3/23 9:46 AM

Number of selected cases 12

To protect the privacy, please use a password.

Password

[Details](#) [Cancel](#) [OK](#)

By default, the date of the last synchronization is filled in. In case you want to synchronize all modification after another date and time, just change the value. To get an overview of which cases will be included in the export, press the *Details...* button to get a list of the cases and their last modification times.

#### Importing modified cases

The modified cases can be imported on another computer. (Popup menu option *Sharing / Import...*). After selecting the file, a dialog opens showing information of the synchronization actions that are needed:

#### Options for importing modified cases

New - Jan 5, 2014 - Holiday, Jimmy - 1942

Merge - Jan 6, 2014 - St.Clair, Bonnie - 1970

Replace - Jan 6, 2014 - Eastwood, Herny - 1992

New - Jan 6, 2014 - Baker, Charles - 1950

New - Jan 7, 2014 - Smarting, All - 1962

Merge - Jan 7, 2014 - Williams, Charita - 1970

Ignore - Jan 20, 2014 - Underwood, Sam - 2013

[Ignore](#) [New](#) [Replace](#) [Merge](#) [Reset](#)

[Cancel](#) [OK](#)

The important part here is the leftmost column. This column can have four different values:

*New* The case is not present in the local database. It will be newly created.

*Replace* The case is not modified in the local database, but the version in the export file is newer. It will be overwritten with the new information.

*Merge* The case has been modified on both computers. The information in the export files is merged into the information in the local database. No existing information is overwritten, but new information is copied in.

*Ignore* This case appears not to be modified on any of both computers. Nothing is done.

You can modify the action for any of the cases in the list. Select a number of cases by clicking on them, and then press any of the buttons *Ignore*, *New*, *Replace*, or *Merge*. Pressing button *Reset* will restore all actions to their original setting.

When an action is explicitly set to *New*, the case will be copied as a new case, even if a similar case is already present in the local database. You can do this when you are in doubt, after the import you will then see two cases with the same name that you can verify yourself. Normally, this is never necessary, the option *Merge* will not throw away any information.

# Analysis module

## Quick Start

### For the impatient among you...

We strongly advice you to read the Help sections on analysis, because a little background information will make your work much more efficient. If you want to read it later and just get started right away, this summary should get you started in just a minute.

### Start with a Case or not?

In many cases an analysis is made because it is related to a patient and you may want to keep it for later reference. In this situation, it is advisable to first create a case, or open an existing case, because your analysis is then stored in the right place. Once a case is opened, a new analysis can be added to it easily. For detailed information on how to organize your cases and analyses, please read section *Case module*.

If you just want to do a quick analysis, without the context of a real case, just don't open or create a case, and a default case will automatically be created (named *Unnamed case*) and the analysis stored in there. The analysis can be found in that case labeled with today's date.


### Adding rubrics

Adding a rubric to your analysis is easy. First select the rubric in the *Book* module. A rubric is selected when it is marked with a bright yellow color. Then click and hold the rubric, to open the popup menu. (Popup menu option *Add rubric to analysis*). To find the right rubric, the *Find* module can help you.

## Creating an Analysis

### Opening the Analysis module

Go to the Analysis module by clicking on the *Analysis* tab. Assuming you have already opened a case and selected an analysis, the screen will look something like this:



The window is divided into two sections:  
- the symptoms and rubrics used for this analysis,  
- the analysis results.

We'll discuss them in detail, starting with the first.

Note that the examples used here are part of the demo cases that can be found in the 'Other' group of your Case module. You can play freely with these examples. Every time you start *Complete Dynamics*, the original demo cases are put back in the 'Other' group.

### Symptoms versus Rubrics

After having collected your patient's information, the traditional approach is to look for rubrics in the repertory that match the patient's situation. The big disadvantage of this approach is, that for some of the patient's symptoms a single repertory rubric is needed, while for other symptoms several rubrics can be found that together express the complaint. Whenever multiple rubrics are used to express a single symptom, the remedies that match that symptom are automatically counted more strongly, so the symptom will get an exaggerated value compared to other symptoms. Also, the patient does not express his symptoms in terms of repertory language. A collection of repertory rubrics is therefore not a real representation of the patient's complaints, especially if no rubrics can be found that express the patient's symptoms 100% literate.

Complete Dynamics solves these problems by making a distinction between Symptoms and Rubrics. First the patient's symptoms, as analysed, can be entered. Secondly, repertory rubrics can be bound to these Symptoms. The Analysis module can automatically compensate the analysis results for the fact that some Symptoms are expressed with few rubrics, whereas other Symptoms are expressed with a large number of rubrics. So you are free to choose how many rubrics you need to adequately express the patient's symptoms into repertory rubrics, without disbalancing your analysis results!

*Symptoms* are the language of the *Patient* - *Rubrics* are the language of the *Repertory*.

There are more advantages to using Symptoms. Since symptoms are the language of the patient, it is easy to assign a ranking of importance to a Symptom, without having to explicitly manipulate the ranking of individual rubrics (we call these Symptom Weight and Rubric Weight, they are explained elsewhere). There are more advantages, but you'll see those for yourself.

Of course for a quick and simple analysis, creating Symptoms causes some overhead that you might not want. In this case, just don't create Symptoms. All Rubrics are then automatically placed under a 'generic symptom', invisible to you.

An example. Below two screen shots from the *Demo case Andrew*, one without and one with the use of Symptoms:

### Demo case, Andrew

Analysis January 1, 2009, A simple analysis

Analysis uses 15 rubrics.

16 Mind; Activity; night  
1 Mind; Activity; midnight, until  
9 Mind; Activity; sleeplessness, with  
83 Mind; Activity; hyperactive  
488 Mind; Cheerfulness  
25 Mind; Noises; aversion to  
32 Mind; Restlessness, nervousness; sensitive  
15 Mind; Sensitive, oversensitive; noise, sounds, to, agg.; painful sensitive  
1 Mind; Theorizing; evening  
2 Mind; Theorizing; night  
51 Sleep; Disturbed, interrupted; vivacity, by  
5 Sleep; Sleeplessness; coffee abuse, after  
58 Sleep; Waking; noise, from  
80 Generalities; Food and drinks; alcohol, alcoholic drinks; amel.  
140 Generalities; Food and drinks; coffee; desires

### Demo case, Andrew

Analysis January 3, 2009, A simple analysis - using Symptoms

Analysis uses 15 rubrics in 4 symptoms.

▼ 523 Mental activity  
16 Mind; Activity; night  
1 Mind; Activity; midnight, until  
83 Mind; Activity; hyperactive  
488 Mind; Cheerfulness  
32 Mind; Restlessness, nervousness; sensitive  
1 Mind; Theorizing; evening  
2 Mind; Theorizing; night  
▼ 83 Sensitive to noise  
25 Mind; Noises; aversion to  
15 Mind; Sensitive, oversensitive; noise, sounds, to, agg.; painful sensitive  
58 Sleep; Waking; noise, from  
▼ 60 Sleeplessness  
9 Mind; Activity; sleeplessness, with  
51 Sleep; Disturbed, interrupted; vivacity, by  
5 Sleep; Sleeplessness; coffee abuse, after  
▼ 192 Generalities  
80 Generalities; Food and drinks; alcohol, alcoholic drinks; amel.  
140 Generalities; Food and drinks; coffee; desires

The variant with Symptoms is much more clear!

#### Creating Symptoms and adding Rubrics

With a Case opened and an analysis selected, a new Symptom can be added to an Analysis. (Popup menu option *Add symptom*).

To delete a Symptom (and all the Rubrics bound to it), select it in the list either with the mouse or keyboard, then press the Delete key. (Popup menu option *Delete selected*).

You can edit the Symptom details by double clicking on it. (Popup menu option *Edit symptom*).

A rubric is always added from the *Book* or *Find* module. (Popup menu option *Add rubric to analysis*).


The Rubric is then added to the Symptom that has been selected as the 'current' Symptom in the Symptom list.

You can see which Symptom this is in the toolbar at the top of the screen:

Mental activity


From the toolbar, you can easily select another Symptom, to add the rubric to. If no Symptoms are defined, you will see the text 'Generic symptoms'.

#### Organizing Symptoms and Rubrics

It is possible to change the order in which Symptoms are organized. When a Symptom is selected, it can be moved. (Toolbar button , toolbar button .

Symptoms can be sorted automatically with a few menu options in the popup menu:





A Rubric can be moved to the next or previous Symptom with the same menu options and toolbar buttons. Within a Symptom, Rubrics are always sorted according to their order in the *Book*.

## Results

### The analysis result


Once the Symptoms and Rubrics have been added to the Analysis, it is time to look at the results. These results are shown on the right hand side of the window.

There are basically two ways of viewing the analysis result:

- an overview of multiple results, based upon the same analysis.
- a detailed overview of a single analysis result.

### Viewing multiple analysis results

The overview of multiple results can be selected. (Toolbar button ). It will look like this:



### The standard analysis methods

The standard results in this picture mean the following:

- Standard** This is the standard analysis result, based upon carefully selected parameters.
- Small remedies** Is this result, smaller remedies are given more importance than larger remedies (polychrests). This compensates for the unequal occurrence of remedies throughout the repertory. Polychrests are not left out of the analysis, it is just that their dominance is reduced.
- Small rubrics** In this result, the rubrics with few remedies are given more importance than rubrics with a lot of remedies. This way, more characteristic rubrics have more impact on the result than very common rubrics.
- Bönninghausen** In this type of analysis, a remedy is counted based upon its occurrence in related rubrics in the repertory. Bönninghausen analysis is used mainly with the larger and more generic rubrics. Also, correction for polar rubrics is more important. For more information, see *Analysis - Bönninghausen*.
- Simple counting** This is a very simple counting, like it was done in the old days with just a pencil and paper. For all rubrics in the analysis, the gradation of all remedies is simply added up.

### Selecting which analysis methods are used

Maybe you are not always interested in all the standard analysis methods that *Complete Dynamics* offers you. You can decide which analyses are shown and in which order they should occur. You can change this in the *Preferences* settings. See section *Preferences* for more information.



### Analysis results details

When you look at the result in the picture above, you will notice that no numbers are printed whatsoever. All you see is a bar behind every remedy, that shows the relative importance of the remedy. The remedies are sorted in order of importance. The shorter the colored bar, the less important the remedy is in the given result.

If you prefer to see numbers in the result, you can press the toolbar button. (Toolbar button ). The result will then look like this:



Standard		Small remedies		Small rubrics	
coff •	100 / 12 / 3	coff •	100 / 12 / 3	coff •	100 / 12 / 3
nux-v	75 / 10 / 4	bor	61 / 6 / 4	nux-v	61 / 6 / 4
lach	46 / 8 / 4	sel	51 / 5 / 4	lach	46 / 8 / 4
chin	39 / 9 / 4	chin	49 / 9 / 4	chin	39 / 9 / 4
sulph	36 / 6 / 4	kola	48 / 5 / 3	sulph	36 / 6 / 4
acon	30 / 5 / 4	nux-v	46 / 10 / 4	acon	30 / 5 / 4
calc •	30 / 6 / 3	sia-c	42 / 4 / 4	calc •	30 / 6 / 3
con	30 / 5 / 3	sul-ac	42 / 5 / 4	con	30 / 5 / 3
bell •	29 / 6 / 3	con	41 / 5 / 3	bell •	29 / 6 / 3
sul-ac	29 / 5 / 4	ang	41 / 5 / 4	sul-ac	29 / 5 / 4
bor	28 / 6 / 4	op	40 / 5 / 3	bor	28 / 6 / 4
ars	28 / 7 / 3	ign	39 / 6 / 3	ars	28 / 7 / 3
sel	27 / 5 / 4	bamb-a	38 / 4 / 4	sel	27 / 5 / 4
ign	26 / 6 / 3	tax	38 / 4 / 3	ign	26 / 6 / 3
phos	24 / 6 / 4	lach	38 / 8 / 4	phos	24 / 6 / 4
op	22 / 5 / 3	ars	36 / 7 / 3	op	22 / 5 / 3
nat-m	22 / 5 / 4	ant-c	35 / 5 / 3	nat-m	22 / 5 / 4
agar	20 / 5 / 3	mez	35 / 4 / 3	agar	20 / 5 / 3
puls	20 / 4 / 3	canth	35 / 5 / 3	puls	20 / 4 / 3
ang	20 / 5 / 4	apis	34 / 4 / 4	ang	20 / 5 / 4
sep	20 / 6 / 4	cham	34 / 5 / 4	sep	20 / 6 / 4
lyc	19 / 6 / 4	zinc	33 / 5 / 3	lyc	19 / 6 / 4
graph	16 / 3 / 3	acon	33 / 5 / 4	graph	16 / 3 / 3
canth	15 / 5 / 3	thea	33 / 3 / 3	canth	15 / 5 / 3
spig	15 / 4 / 3	arg	33 / 4 / 2	spig	15 / 4 / 3
hyos	15 / 4 / 3	agar	33 / 5 / 3	hyos	15 / 4 / 3
sil	14 / 4 / 3	fl-ac	33 / 4 / 2	sil	14 / 4 / 3
asar	14 / 4 / 2	querc-r	32 / 3 / 2	asar	14 / 4 / 2
ant-c	14 / 5 / 3	lac-rup	32 / 4 / 3	ant-c	14 / 5 / 3
apis	13 / 4 / 4	leon	32 / 3 / 2	apis	13 / 4 / 4
mez	13 / 4 / 3	nat-m	31 / 5 / 4	mez	13 / 4 / 3
merc	13 / 3 / 3	mand	31 / 3 / 2	merc	13 / 3 / 3
nit-ac	12 / 3 / 3	asar	31 / 4 / 2	nit-ac	12 / 3 / 3
zinc	12 / 5 / 3	aur-m-n	31 / 4 / 3	zinc	12 / 5 / 3
ran-b	11 / 3 / 3	coca	31 / 3 / 2	ran-b	11 / 3 / 3
sia-c	11 / 4 / 4	thul-o	30 / 2 / 1	sia-c	11 / 4 / 4
cham	11 / 5 / 4	por-m	30 / 3 / 3	cham	11 / 5 / 4

In some situations, you might not want to sort the result in order of importance, but according to the number of symptoms and rubrics a remedy occurs in. You can then press toolbar button , meaning 'Sort analysis on number of symptoms/rubrics'. (Toolbar button ).

### Remedies already prescribed

It can often be convenient to quickly recognize which remedies have already been prescribed to a patient. All remedies that have previously been prescribed, are marked with a dot behind the name.

### Finding the relationship between rubrics and remedies

You can quickly see the relationship between rubrics and remedies by clicking on either a rubric, or on a remedy in the result. The corresponding remedies or rubrics are highlighted then.

Example: Clicking on rubric *Mind; sensitive, oversensitive; noise, to; painful sensitiveness to* will show the following in the result area:

Standard		Small remedies		Small rubrics		Bönningh
coff •		coff •		coff •		coff •
nux-v		bor		nux-v		nux-v
lach		sel		lach		lach
chin		chin		chin		calc •
sulph		kola		sulph		con
acon		nux-v		con		chin
calc •		sia-c		calc •		sulph
con		sul-ac		acon		puls
bell •		con		bor		ars
sul-ac		ang		bell •		bor
bor		op		ars		acon
ars		ign		ign		sel
sel		bamb-a		sul-ac		ang
ign		tax		sel		ign
phos		lach		nat-m		sul-ac
op		ars		phos		bell •
nat-m		ant-c		op		op
agar		mez		puls		nat-m
puls		canth		lyc		mez
ang		apis		agar		bry
sep		cham		ang		lyc
lyc		zinc		sep		asar
graph		acon		spig		phos
canth		thea		asar		aur-m-n
spig		arg		graph		alum
hyos		agar		hyos		graph
sil		fl-ac		sil		sep
asar		querc-r		canth		canth
ant-c		lac-rup		apis		hyos
apis		leon		ant-c		fl-ac
mez		nat-m		merc		nit-ac
merc		mand		zinc		aur
nit-ac		asar		nit-ac		sil
zinc		aur-m-n		sia-c		agar
ran-b		coca		mez		coca
sia-c		thul-o		ran-b		ant-c
cham		por-m		aur-m-n		spig

In a glimpse you see which remedies are in that rubric!

Example: Clicking on remedy *sulph* will show the following Symptom and Rubric overview:

Analysis January 3, 2009, A simple analysis - using Symptoms  
Analysis uses 15 rubrics in 4 symptoms.

So far for the overview of multiple analyses. Let's now take a look at the detailed overview of a single analysis result...

A more detailed overview of a single analysis can be shown in either the Table or in the Grid view, according to your preference. (Toolbar button , toolbar button .

**Demo case, Andrew**

Analysis January 3, 2009, A simple analysis - using Symptoms  
Analysis uses 15 rubrics in 4 symptoms.

Complete Repertory 2023 © 2023 Roger van Zandvoort

**523 Mental activity**

- 16 Mind; Activity; night
- 1 Mind; Activity; midnight; until
- 83 Mind; Activity; hyperactive
- 488 Mind; Cheerfulness
- 32 Mind; Restlessness, nervousness; sensitive
- 1 Mind; Theorizing; evening
- 2 Mind; Theorizing; night

**83 Sensitive to noise**

- 25 Mind; Noises; aversion to
- 15 Mind; Sensitive; oversensitive; noise, sounds, to, agg.; painful sens
- 58 Sleep; Waking; noise, from

**60 Sleeplessness**

- 9 Mind; Activity; sleeplessness, with
- 51 Sleep; Disturbed, interrupted; vivacity, by
- 8 Sleep; Sleeplessness; coffee abuse, after

**192 Generalities**

- 80 Generalities; Food and drinks; alcohol, alcoholic drinks; amel.
- 140 Generalities; Food and drinks; coffee; desires

**Demo case, Andrew**

**Analysis January 3, 2009, A simple analysis - using Symptoms**  
 Analysis uses 15 rubrics in 4 symptoms.

Symptom	Rubric	Description
523 Mental activity	16	Mind; Activity; night
	1	Mind; Activity; midnight, until
	83	Mind; Activity; hyperactive
	488	Mind; Cheerfulness
32	Mind; Restlessness, nervousness; sensitive	
	1	Mind; Theorizing; evening
	2	Mind; Theorizing; night
83 Sensitive to noise	25	Mind; Noises; aversion to
	15	Mind; Sensitive, oversensitive; noise, sounds, to, agg.; painful sense
	58	Sleep; Waking; noise, from
60 Sleeplessness	9	Mind; Activity; sleeplessness, with
	51	Sleep; Disturbed, interrupted; vivacity, by
	5	Sleep; Sleeplessness; coffee abuse, after
192 Generalities	80	Generalities; Food and drinks; alcohol, alcoholic drinks; amel.
	140	Generalities; Food and drinks; coffee; desires

The blocks or dots indicate that the remedy occurs in a rubric:

- ## Complete Dynamics

**Rubric:** MIND; CHEERFULNESS.

**Standard name:** Coffea cruda.

**Taxonomy:** kingdom *Plantae*

**APG II taxonomy:** angiosperms, eudicots, core eudicots, asterids, euasterids I, Gentianales, Rubiaceae.

### Sources.

Gallavardin J P *Repertory of psychic medicines with Materia Medica*, 1897.

Hering C. *Guiding Symptoms of our Materia Medica*. 1879.

Jahr G H G     *Handbuch der Haupt-Anzeigen für die richtige Wahl der homöopathischen Heilmittel,*  
Herrmann Rothmann, 1851


Herrmann Bethman (Leipzig), 1848.

Lippe A von      *Keynotes and Red line symptoms of Materia Medica*, 1915.

Müller C

Vithoulkas G    *Lectures*, 1985.

Also, you can highlight rubrics or remedies by clicking on them:



In some situations, you do not just want to see the top results of an analysis, but want to know exactly where a given remedy occurs in those results.

The analysis redraws if necessary, skipping part of the results to ensure that your remedy is shown.

The remedy you are looking for is automatically highlighted, to make it better visible for you.

Standard	Small remedies	Small rubrics	Bönninghoff
coff •	coff •	coff •	coff •
nux-v	bor	nux-v	nux-v
lach	sel	lach	lach
chin	chin	chin	calc •
sulph	kola	sulph	con
acon	nux-v	con	chin
calc •	sia-c	calc •	sulph
con	sul-ac	acon	puls
bell •	con	bor	ars
sul-ac	ang	bell •	bor
bor	op	ars	acon
ars	ign	ign	sel
sel	bamb-a	sul-ac	ang
ign	tax	sel	ign
phos	lach	nat-m	sul-ac
op	ars	phos	bell •
nat-m	ant-c	op	op
agar	mez	puls	nat-m
puls	canth	lyc	mez
ang	apis	agar	bry
sep	cham	ang	lyc
lyc	zinc	sep	asar
... +41 ...	... +28 ...	... +46 ...	... +31 ...
chel	chel	chel	chel
rhus-t	cygn-c	cypr	ferr
kreos	aur	teucr	cham
bamb-a	calc •	kali-bi	cocc
ran-s	hyos	prun	leon
tarent	cocc	tarent	cur
mosch	ven-m	onc-t	kreos
sang	onc-t	agav-t	arn •
cypr	sang	leon	aur-s
teucr	caps	nat-p	tritic-v
prun	crat	brom	staph
kali-bi	am-c	crat	onc-t
nat-p	staph	cygn-c	arg

### Filtering the analysis results

Normally, the analysis results show all remedies.

You can restrict the results to only those remedies that are part of a given Kingdom, Family, or some other group. To do this, simply make a selection from the dropdown list in the toolbar:

**Demo case, Andrew**

Analysis February 1, 2009, Grouping example  
Analysis uses 2 rubrics.

	dell	cram	asin	togo	clark	mick	jane	bill	chad	john	mike	sarah	nick	alex	tim	ryan	adam	eric	steve	dan	laura	paul	amy	steph	brian	tyler	christ
66 Combined rubrics																											
57 Mind; Fear; dogs, of																											
12 Mind; Fear; rats																											
8 Mind; Fear; wolves, of																											
408 Crossed rubrics																											
496 Head; Pain; headache; stitching																											
786 Generalities; Walk, walking; during																											

Filter 

## Acids (72)

Agents &amp; toxins (56)

Alkaloids (85)

### Amides (9)

Amino acids (22)

Anaerobes (27)

Animals (322)

APG II taxonomy

Bacteria (62)

Bloods (37)

Body products (84)

Building stones (2)

Permanently add to list ☐

Cancel OK

OK

**KINGDOMS & FAMILIES; ACIDS:** acet-ac acon-ac  
 agarin ami-sal-ac amp amyg-am asc-ac benz-ac betin  
 bor-ac brom-ac but-ac camph-ac carb-ac chr-ac chrys-ac  
 cit-ac coenz-ac cortico cystin d-phenyl des-ac fli-ac  
 form-ac fumar-ac gaba gall-ac guan hemog-his histid  
 hydr-ac hydrobr-ac i-leuc iod-iac kalli-kali x keto-ac  
 l-leuc l-phenyl lac-ac lanol mal-ac methion mur-ac n-leuc  
 nit-ac nit-m-ac ol-suc oro-ac o-ac ph-ac pucc-ac prol  
 pyro-ac rib-ac sal-ac salol sarcoc-ac succ-ac sul-ac  
 sul-ac ar-sulo-ac tann-ac tart-ac tell-ac thio-ac threnin  
 trypn tvrin ur-ac vali

Complete Dynamics © Eduard van Grinsven

## Advanced topics

## Fine-tuning your analysis

The topics we'll cover are:

- Using weights.
- Balancing symptoms.
- Polar rubrics and contra indications.
- Rubric groups.
- Rubric overview.
- Filter the results on remedy families.

Many actions can be performed on multiple selected lines at once.

### Using weights

Every Symptom and every Rubric can be assigned a given Weight. Just like you assign a certain importance to a patient's symptoms, or just like a remedy in the repertory can occur with different grades, you can assign a certain importance to each of the Symptoms and Rubrics.

By assigning a higher value, the Symptom or the Rubric is counted with more importance in the analysis result. And by assigning a weight of 0, the Symptom or Rubric is excluded from the analysis completely.

To set the weight, first select a Symptom or Rubric by clicking on it with your mouse.

Now there are several ways to set the weight:

- 0 (Toolbar button <sup>0</sup>, popup menu option *Weight / Ignore*).
- 1 (Toolbar button <sup>1</sup>, popup menu option *Weight / Weight normal*).
- 2 (Toolbar button <sup>2</sup>, popup menu option *Weight / Weight x2*).
- 3 (Toolbar button <sup>3</sup>, popup menu option *Weight / Weight x3*).
- 4 (Toolbar button <sup>4</sup>, popup menu option *Weight / Weight x4*).

The following example shows an analysis in which weights are set (just for demonstration)

	Standard	Small remedies	Bönningshausen	Simple co
	coff - nux-v sulph ign bell - bor bor sel ign sia-c aur-s ang chin aur-m-n con op phos nit aur-s hys am-c nat-p ars acon agar lac-rup merc sia-c alum ang calc calad luf-op cyc sep larc-v nit sal pilb onc-t pil lat-h	coff - bor asar lac-ruc op aur-m-n sel ign sia-c aur-s ang chin ven-m bamb-a onc-t am-c nat-p ars pilb sia-c lac-rup ang calc alum onc-t phos acon carb-v sul-ac pilb ign lat-h cham quas al zinc-val ox-ac ol-an	nux-v ign sulph bell - bor asar ign aur-m-n lach con aur-s hys merc calad sia-c lac-rup op phos sia-c acon alum onc-t phos acon carb-v sul-ac pilb ign lat-h cham quas al zinc-val ox-ac puls	coff - nux-v ign asar bell - bor sulph chin sel aur-m-n lach con hys merc calad lac-rup op phos sia-c acon alum onc-t phos acon carb-v sul-ac pilb ign lat-h cham quas lyc

You see the toolbar buttons on the left. The toolbar buttons always show the actual weigh value of the selected Symptom or Rubric. The X before a Symptom or Rubric indicates a weight of 0. it is excluded from analysis.





## Balancing symptoms

Balancing of Symptoms is an advanced analysis mechanism, compensating the use of many/few Rubrics in a Symptom. When balancing is switched on (which it normally is), you can place as many Rubrics under a Symptom as you want, without disturbing the analysis.

In traditional analyses, you would have to carefully select rubrics in an analysis, because if you used too many rubrics to express a certain symptom, the remedies matching that single symptom would start to dominate the analysis. Likewise, if you only used a single rubric, the remedies in that rubric would not sufficiently contribute to the overall analysis, compared rubrics used for the other symptoms.

With Balancing of Symptoms switched on, every Symptom is counted with the Weight (see *Using weights* above) assigned to it, no matter whether you place a single Rubrics under it or, let's say, 10 Rubrics.

Balancing symptom is switched on/off with the toolbar button , found on the right side of the window. (Toolbar button .

Let's take a look at an example. In the following analysis, many rubrics are used to express the head pains. If no Balancing is used, *Glonoinum* dominates the results, whereas with Balancing *Natrum Muriaticum* becomes more apparent.

### Demo case, Andrew

Analysis February 1, 2009, Symptoms with many or few rubrics.

Analysis uses 13 rubrics in 4 symptoms.

- ▼ 954 Head pains
  - 14 Head; Pain, headache; morning; agg.; six am.
  - 160 Head; Pain, headache; extending to; backward
  - 188 Head; Pain, headache; extending to; occiput
  - 110 Head; Pain, headache; extending to; temples
  - 119 Head; Pain, headache; extending to; upward
  - 944 Head; Pain, headache; forehead
  - 57 Head; Pain, headache; forehead; air; open; agg.
  - 48 Head; Pain, headache; forehead; eyes; above; morning
  - 14 Head; Pain, headache; bursting; menses; during
- ▼ 84 Sadness
  - 84 Mind; Sadness, depression; menses; before
- ▼ 163 Menses
  - 127 Female; Menses; pale, watery
  - 105 Female; Menses; thin, liquid
- ▼ 173 Aversions and desires
  - 173 Generalities; Food and drinks; salt or salty food; desires

Analysis result:


No balancing

With balancing

Complete Repertory, 2023 © 2023 Roger van Zandvoort	Standard		Small remedies		Bönninghaus:	Standard		Small remedies		Bönninghaus:	
	glon	100 / 9		glon	100 / 9	sep	100 / 9 / 4	sanic	100 / 7 / 4	nat-m	100 / 9
	sep	94 / 12		hell	85 / 9	bell •	93 / 11 / 4	kali-p	99 / 8 / 4	nit-ac	99 / 8 / 4
	lach	91 / 11		cimic	78 / 8	calc •	78 / 10 / 4	cycl	92 / 7 / 4	lyc	92 / 7 / 4
	bell •	87 / 10		tritric-v	78 / 8	lach	78 / 12 / 4	sep	90 / 6 / 4	calc •	90 / 6 / 4
	lyc	81 / 11		gink	77 / 7	lyc	77 / 8 / 4	nat-s	89 / 6 / 4	carb-v	89 / 6 / 4
	nat-m	78 / 9		kali-p	75 / 8	nux-v	74 / 9 / 4	arist-cl	87 / 6 / 4	sep	87 / 6 / 4
	calc •	76 / 10		sanic	71 / 7	thuj	68 / 8 / 4	cocc	84 / 8 / 4	puls	84 / 8 / 4
	nux-v	74 / 9		plat	69 / 8	nat-m	63 / 9 / 4	tub	81 / 6 / 4	verat	81 / 6 / 4
	phos	66 / 10		spig	67 / 8	glon	63 / 10 / 4	nat-c	80 / 8 / 4	con	80 / 8 / 4
	caust	66 / 9		sang	67 / 6	nit-ac	55 / 11 / 4	sac-alb	80 / 4 / 4	lac-c	80 / 4 / 4
	thuj	61 / 9		kali-n	65 / 7	caust	53 / 10 / 3	manc	80 / 5 / 4	caust	80 / 5 / 4
	bry	60 / 9		cocc	65 / 8	bry	52 / 6 / 3	hell	79 / 9 / 3	ferr	79 / 9 / 3
	cimic	59 / 8		alum	64 / 8	cimic	52 / 6 / 4	lampr-s	79 / 3 / 3	phos	79 / 3 / 3
	puls	57 / 8		lach	64 / 11	carb-v	44 / 4 / 4	lac-d	76 / 6 / 3	sulph	76 / 6 / 3
	nit-ac	55 / 9		berb	63 / 6	puls	44 / 5 / 3	cimic	75 / 8 / 3	chin	75 / 8 / 3
	sulph	54 / 9		nit-ac	63 / 9	phos	43 / 8 / 3	nit-ac	74 / 9 / 4	bell •	74 / 9 / 4
	spig	53 / 8		thuj	62 / 9	spig	41 / 6 / 3	emer	73 / 5 / 3	lach	73 / 5 / 3
	chin	47 / 7		aloe	62 / 7	chin	41 / 9 / 3	berb	73 / 6 / 3	cimic	73 / 6 / 3
	carb-v	46 / 8		kali-bi	62 / 7	sulph	38 / 8 / 4	carb-v	72 / 8 / 4	thuj	72 / 8 / 4
	plat	42 / 8		arist-cl	61 / 6	ferr	37 / 9 / 3	bov	70 / 6 / 3	nat-s	70 / 6 / 3
	ferr	40 / 6		lac-c	60 / 6	plat	35 / 8 / 3	ferr-p	70 / 4 / 3	stann	70 / 4 / 3
	kali-bi	39 / 7		mang	60 / 6	lac-c	34 / 7 / 3	tritric-v	70 / 8 / 3	nux-v	70 / 8 / 3
	staph	39 / 7		nat-c	60 / 8	tritric-v	33 / 8 / 4	plat	70 / 8 / 3	plb	70 / 8 / 3
	lac-c	36 / 6		phys	60 / 6	stann	32 / 6 / 4	dys-co	69 / 4 / 3	alum	69 / 4 / 3
	alum	36 / 8		lac-d	60 / 9	con	30 / 9 / 3	psor	68 / 4 / 4	kali-p	68 / 4 / 4
	hell	36 / 9		caust	60 / 9	alum	30 / 6 / 3	jade	68 / 4 / 3	graph	68 / 4 / 3
	cocc	36 / 8		nat-s	59 / 6	staph	30 / 8 / 3	aur-m-n	67 / 4 / 3	plat	67 / 4 / 3
	stann	35 / 5		sep	59 / 12	cocc	28 / 9 / 3	lac-c	67 / 6 / 3	tritric-v	67 / 6 / 3
	tritric-v	35 / 8		kalm	58 / 6	prun	28 / 6 / 4	am-c	67 / 6 / 3	sanic	67 / 6 / 3
	sang	32 / 6		laur	57 / 6	kali-bi	28 / 6 / 3	rhus-g	65 / 3 / 3	manc	65 / 3 / 3
	kali-p	32 / 8		emer	57 / 5	dulc •	27 / 7 / 4	alco	65 / 3 / 3	cocc	65 / 3 / 3
	mang	31 / 6		chel	57 / 7	aloe	26 / 9 / 3	ferr	64 / 6 / 3	tarent	64 / 6 / 3
	con	31 / 6		am-c	56 / 6	kali-p	25 / 6 / 3	carc	64 / 4 / 3	sabin	64 / 4 / 3
	chel	27 / 7		lyc	56 / 11	arg-n	25 / 4 / 3	med	63 / 4 / 3	calc-p	63 / 4 / 3
	graph	26 / 6		cycl	56 / 6	sabin	24 / 5 / 4	lach	62 / 11 / 4	bry	62 / 11 / 4
	arg-n	26 / 5		bov	55 / 6	graph	24 / 4 / 3	caust	62 / 9 / 4	arg-n	62 / 9 / 4
	cham	26 / 5		carb-v	55 / 8	mang	24 / 6 / 4	bamb-a	62 / 5 / 3	aloe	62 / 5 / 3


Note: Balancing Symptoms has no effect on the basic analysis *Simple Counting*.

Polar rubrics are two rubrics which have an opposite meaning.



Under *Generalities*, we see two rubrics that both have a polar rubric:



It is possible to use these polar rubrics in the analysis by pressing toolbar button , found on the right side of the window. (Toolbar button ).



Remedy *coff* is now colored red, because in this analysis it is contra indicated.

A contra indication is a situation in which a remedy occurs in one rubric in a low grade (1, 2, or does not occur at all), but in the polar rubric in a high grade (3 or 4).

A more complex example is shown in the next Bönninghausen style analysis:



## Rubric groups

Grouping of rubrics is done when you want two or more rubrics to count as if they were together a single rubric.

There are two ways of grouping rubrics:

- Crossing. Only remedies that occur in ALL rubrics are used.
- Combining. Remedies from ANY of the rubrics are used.

## Examples of grouping

Crossing of rubrics can be useful when there is no rubric in the repertory that exactly describes a patient's symptom, but only more generic rubrics.

For example, the patient tells you that during fever he has anxiety in bed in the morning. The repertory does not have a rubric *Mind; anxiety; morning; bed, in; fever, during*. But instead of this, there are two more generic rubrics *Mind; anxiety; morning; bed, in* and *Mind; anxiety; fever heat; during*. By crossing those two rubrics, a new grouped rubric is created containing only the remedies that occur in both rubrics.

Combining rubrics can be useful when the patient has a symptom that is not found exactly, but can be found under more specific symptoms.

For example a desire for pizza. Why is it that the patient likes pizza? Maybe it is the dough (farinaceous food), tomatoes, salami, anchovies, cheese, or olives. It can be useful to combine a number of such specific rubrics into a new rubric, without disturbing the analysis formulas by adding lots of specific rubrics that don't really matter in comparison to the patient's chief complaints.

## Creating rubric groups

An example, a case with stitching head pains while walking, and fear of several kinds of animals:



Demo case, Andrew

Analysis February 1, 2009, Grouping example

Analysis uses 5 rubrics.



57 Mind; Fear; dogs, of

12 Mind; Fear; rats

5 Mind; Fear; wolves, of

496 Head; Pain, headache; stitching

786 Generalities; Walk, walking; during

We want to Cross the two rubrics that together describe the head pain. Select rubric *Head; pain; stitching* by clicking on it, then press the toolbar button . (Toolbar button , popup menu option *Grouping / Group with other rubrics...*).

A dialog pops up, in which you can select the rubrics that can be linked with the selected rubric.

At the top, select option *Cross*. Select rubric *Generalities; walk, walking; during* and press the OK button.

Add rubrics to a rubric group

Grouping method

Cross (only remedies that are in ALL the rubri...

Label

Select one or more rubrics to add to this group:

Rubrics

Mind; Fear; dogs, of

Mind; Fear; rats


Mind; Fear; wolves, of

Head; Pain, headache; stitching

Generalities; Walk, walking; during

Cancel

OK

For the second group we will use another method. Select the three rubrics of *Mind; fear* and press  once more.

Demo case, Andrew

Analysis February 1, 2009, Grouping example

Analysis uses 4 rubrics.

57 Mind; Fear; dogs, of

12 Mind; Fear; rats

5 Mind; Fear; wolves, of

▼ 408 Crossed rubrics

496 Head; Pain, headache; stitching

786 Generalities; Walk, walking; during

Now select option *Combine*, and press the OK button.

Add rubrics to a rubric group

Grouping method

Combine (all remedies from ANY of the rubrics)

Label

Select one or more rubrics to add to this group:

Rubrics

Mind; Fear; dogs, of

Mind; Fear; rats

Mind; Fear; wolves, of

[Cancel](#) [OK](#)






The resulting rubric list has now become:

### Demo case, Andrew

Analysis February 1, 2009, Grouping example

Analysis uses 2 rubrics.

- ▼ 66 Combined rubrics
  - 57 Mind; Fear; dogs, of
  - 12 Mind; Fear; rats
  - 5 Mind; Fear; wolves, of
- ▼ 408 Crossed rubrics
  - 496 Head; Pain, headache; stitching
  - 786 Generalities; Walk, walking; during

To change a group, simple click on the group's main rubric and press . In the dialog, toggle rubrics on and off by clicking on them. You can also remove a rubric from a group by clicking on it and pressing . (Toolbar button , popup menu option *Grouping / Remove grouping*). To remove a group completely, click on the group's main rubric and press . (Toolbar button , popup menu option *Grouping / Remove grouping*).

There are two menu options that allow you to quickly create a group, without having to select rubrics in the dialog, as shown above. You can first select two or more rubrics, and then Combine them. (Popup menu option *Grouping / Combine selected rubrics*). You can first select two or more rubrics, and then Cross them. (Popup menu option *Grouping / Cross selected rubrics*).

### How rubric groups are used in an analysis

When crossing multiple rubrics, the group contains only those remedies that occur in all the rubrics in that group. The remedy grade will be the lowest grade of the remedy in all the rubrics.

When combining multiple rubrics, the group contains the remedies that occur in any of the rubrics in the group. The remedy grade will be the highest grade found for the remedy in any rubric in the group.

### Rubric overview

Sometimes it is convenient to get an overview of all rubrics in an analysis together with their remedies. Also, in case of grouped rubrics, you might want to see which remedies occur in the resulting group.

To get an overview of all rubrics, just choose Show rubric overview. (Popup menu option *More / Show rubric overview*). The *Find* module opens, showing the following:

### COMBINED RUBRICS: MIND; FEAR; DOGS, OF / MIND; FEAR; RATS / MIND; FEAR; WOLVES, OF

: absin acon agar *Alum* amph androc arn astac *BAC BELL* BOS-S BUFO CALC calc-ar carc CAUST cer chel *CHIN* choc CIMIC Con cupr-acet dor dpt dysp-n *Hydrog* HYOS insul LAC-C lac-d lac-f lac-h lach lycpr lyss mag-c *Manc* mand med NAT-M nat-p nit-ac op ory-c phos *Plac* plat PLUT-N polyst pras-c PULS *Sanic Scirr* SCORP sep sil sol-t *STRAM* sulph syc-co tax *TUB* tub-k verat *Xan*

**MIND; FEAR; dogs, of:** agar *Alum* amph androc astac *BAC BELL* BUFO CALC carc CAUST cer chel *CHIN* choc Con cupr-acet dor dpt dysp-n *Hydrog* HYOS insul LAC-C lac-d lac-f lac-h lach lycpr lyss mag-c *Manc* mand med NAT-M nat-p nit-ac ory-c phos plat PLUT-N polyst pras-c PULS *Sanic Scirr* SCORP sil sol-t *STRAM* sulph syc-co tax *TUB* tub-k verat *Xan*

**MIND; FEAR; rats:** absin acon arn bell BOS-S CALC calc-ar CIMIC op phos *Plac* sep

**MIND; FEAR; wolves, of:** amph bell cer chel dor

### CROSSED RUBRICS: HEAD; PAIN, HEADACHE; STITCHING / GENERALITIES; WALK,

**WALKING; DURING:** acan-p *ACON* act-sp adam *AESC* AETH AGAR *AGN* aids alch-v ALL-C allox ALOE *ALUM ALUM-P* ALUM-SIL ALUMN AM-C *AM-M AMBR* ammc *ANAC* anag ANATH *ANG ANT-C* ANT-T APIS apoc aq-des ARAN *ARG ARG-N* ARN *ARS* ARS-I ars-met ars-s-f *Ars*-s-r arum-t ASAF *Asar* asc-t astac aster ATRO AUR aur-ar aur-i AUR-M-N aur-s bacch-a *Bad* BAMB-A bapt *Bar-acet BAR-C* bar-i bar-m bar-s *BELL* bell-p *BERB* biti-g blatta BOR bos-s both-a *BOV BROM* Bros-g bruc *BRY* BUFO bux cadm-s cahin *Calad* CALC Calc-acet calc-ar calc-caust calc-f calc-i CALC-P CALC-S calc-sil calen CAMPH CANN-I cann-s CANTH *CAPS* caras carb-ac *CARB-AN CARB-V* carbn-o CARBN-S *CARC* card-b carl *Cassi*-s cast caul CAUST cedr cere-b CHAM *CHEL CHIN* chin-ar *Chin*-s choc CIC CIMIC CINA cinnb cist CLEM cob COC-C *COCC* coff COLCH *COLOC* colocin com CON cop corn CROC crot-c CROT-H *Croto-t Cund* CUPR cupr-ar cupr-s *CUR* Curc *CYCL* Cyt-I daph der *DIG* Dios diox dirc DROS DULC echi-a ELAPS emer epip equis ery-a eug euon eup-per *EUPH* EUPHR eupi *Fago* falco-p *FERR* Ferr-acet ferr-ar FERR-I FERR-P fic-i fic-m *Fl-ac Flor-p* form galeoc-c gall *Gamb* GELS gent-c gink gins *GLON* Gran GRAPH GRAT GUAI harp HELL *Helo* helod-c hema-h *HEP* her-s hipp hom hydr *Hydr*-ac HYOS hyosin hyper *IGN* ind insul insul *IOD* iodof IP Irid-m iris jatr JUG-C kali-ar *KALI-BI KALI-C* kali-chl kali-cy *KALI-I KALI-N KALI-P* kali-sil KALM *Kola* *KREOS* kurch LAC-C lac-h lac-m *LACH* lachn LACT Lam lap-laz lappa *Laur* lec LED LIL-T lipp *Lith*-c Lob lob-c lol loxo-r *LYC* lycpr LYSS *M-ARCT M-art M-AUST* MAG-C *MAG-M MAG-P* mag-s magn-gr MANC MANG *Mang*-acet meli-a menth *MENY* *MERC MERC-C* merc-i-f merc-s MERL methyl-p-h *MEZ* *Mill Mim*-p morpho-m Mosch *MUR-AC* naja naja-m nat-ar *NAT-C* nat-glt nat-hchls *NAT-M NAT-P NAT-S* nat-sil nept-m *NICC NIT-AC* nit-m-ac nuph *NUX-M NUX-V* Ol-an ol-j olea *Olnd* onc-t Op *OZON* paeon *Par* paraf paul-p perli *PETR PH-AC Phel* *PHOS* phyl-a phys phyt *PIC-AC* pier-b *Pimp Pip*-m pitu-a plan *PLAT PLB* Plb-acet plect pras-s *PRUN PSOR* PTEL *PULS* pyrog pyrus-c rad-br *RAN-B RAN-S* raph Rat rheum *RHOD RHUS-T* ros-d *RUta* SABAD *SABIN* sac-I sal-ac *Samb* SANG *SANIC* SARS scan sec *SEL* senec *Seneg* *SEP* SIL sol-n *SPIO* SPONG *SQUIL* STANN *STAPH* stel still *STRAM* *STRONT-C* STRY *SUL-AC* sul-i *SULPH* Syph TAB *TARAX* TARENT TARENT-C *Tax* teg-a tell telo-s *Ter* *Teucr* THER *THUJ* Til Tong toxop-p *Tritic-v* Trom *TUB* tung upa URAN vac *VALER* VERAT VERB vesp vib vinc *Vince* viol-o *VIOL-T* vip visc with-s *X-ray* *ZINC* zinc-acet zinc-p *Zing* ziz

**HEAD; PAIN, headache; stitching:** ACAN-P acher-a *ACON* acon-ac act-sp adam aego-p *AESC* AETH AGAR agath-a *AGN* AID5 alch-v *Alco* ALL-C allox *ALOE ALUM ALUM-P* ALUM-SIL ALUMN *AM-C AM-M AMBR* Amet ammc *ANAC* Anac-oc anag ANATH ander andri-q androg-p *ANG ANT-C* ANT-O ANT-T aphis *APIS* apoc aq-des ARAN *ARAN-IX* ARG ARG-N Argo *Arist*-s *ARN* *ARS* ARS-I ars-met *ARS-S-F* *Ars*-s-r art-v *ARUM-T* ASAF *Asar* ASC-C asc-t astac ASTER ASTRA-E ATRO atro-s *AUR* aur-ar aur-i AUR-M-N aur-s bacch-a *Bad* BAMB-A bapt *BAR-ACET BAR-C* bar-i BAR-M BAR-S *BELL* bell-p benz

Complete Dynamics © Eduard van Grinsven - Complete Repertory 2023 © 2023 Roger van Zandvoort





### Classification












### Introduction to Symptom Classification

*Samuel Hahnemann's Organon* and *Chronic Diseases* show us that Hahnemann did not select his remedies on the basis of the entirety of all symptoms that can be found in the patient's current or past situations. He carefully classified the patient's symptoms into a number of categories and based his treatment on this classification.

Hahnemann's classification is available, as well as user defined groups A, B, C, D and E for your own use.

Classification options, available in the toolbar on the left side of the screen:

Symbol Name	Meaning
	Psora The core disturbances. Organon 6th edition § 80 (psoric miasma).
	Incident Biographic incident, things that happened to the patient and had impact on him. Acute disease. Organon § 72 (injurious influences).

	Epidemic	Diseases that are transmitted through an outside source; the flu, Legionella, SARS, Measles, Mumps, and others. (In-between-diseases). Organon § 73 (epidemic diseases).
	Acute miasmatic	Illness coming from within, often being triggered by an incident, a stimulus coming from outside. Complaints are severe. Organon § 73 (transient explosion of latent psora).
	Inherited tendency	Those diseases that occurred in the ancestry, which are passed on to the patient genetically.
	Iatrogenic	The usage of medication and the vaccinations that someone has received. Organon § 74.
	Sycosis	Infection with Gonorrhea. Organon § 79 (sycotic miasma).
	Syphilis	Infection with Syphilis. Organon § 79 (syphilitic miasma).
	User A	Free for your own use.
	User B	Free for your own use.
	User C	Free for your own use.
	User D	Free for your own use.
	User E	Free for your own use.

The classification can be applied at the level of Symptoms, or on individual Rubrics.

Setting classification on a Symptom will apply that setting to all Rubrics in the Symptom. Any setting that had been applied to Rubrics will then no longer be used.

See also Demo case *Simple classification example*.

### Remedy filter and classification

When classification of Symptoms or Rubrics is used in an analysis, the remedies for each analysis are automatically filtered. This filtering is done in accordance with the information found in Hahnemann's writings.

For *Psora*, the remedies are: all minerals and nosodes, plus Lach, Lyc, Sep, but excluding Merc.

For *Incident, Acute Miasmatic, Epidemic*, the remedies are: all plants and animals, plus Merc, Ars, Ant-c.

For *Iatrogenic*, the remedies are those found in rubrics *Intoxication after medicaments*, and *Ailments from vaccination*.

For *Inherited tendency*, the remedies are: all nosodes.

For the other groups, all remedies are shown.

### Clipboards

The classes A-B-C-D-E can also be used as clipboards. By assigning these to Symptoms or individual Rubrics, it is very easy to create different views on the analysis results.

### More information

The information on classification above is limited.

Excellent information on the use of Hahnemann's classification can be found on the web site <http://www.classicalhomeopathy.eu>

## Multiple Views

You now know how to create an analysis. You also know how to fine-tune the analysis, based upon your interpretation of the symptoms in this particular case.

You may have assigned weights to symptoms or rubrics. You may have assigned classifications to them. You have selected an analysis formula to weigh the importance of the remedies for the rubrics used. And maybe you have filtered the results on a given remedy kingdom.

All these settings have helped you obtain the best analysis result, based upon your interpretation of the case.














But it is your interpretation, your view on the patient's symptoms. These symptoms are invariable, they are the observed facts that you have collected. No matter what opinion you might have, the observed symptoms are the reality you have to work with. (Organon §18)

However, you might consider looking at these same symptoms from a different perspective, with a different view, interpret them in a different way. You can of course change all the settings of the analysis and see what happens. But then your original analysis has changed, and to see it again you must change back all the settings you modified.

To enable you to modify the settings of your analysis, without losing the original settings, we have created Multiple Views.

### What is an Analysis View?

An Analysis View is the total of all the settings you can apply to an analysis.

Weights        
Classification              
Balance Symptoms   
Correct Polar      
Analysis formula   For instance "Small Remedies"  
Remedy filter      For instance "Plants"

You can create multiple views, each having their own collection of settings.


As an example, look at *Demo case Andrew*, analysis *Multiple views*.

### Creating a view

You can create a new view via the menu or the toolbar. (Toolbar button , popup menu option *View / Add a new view*).

The new view is a copy of the original view, having exactly the same settings. Any changes you make to the settings in the new view are exclusive to that view. All the other views remain exactly like they were. If you want, you can optionally give the new view a name.

Note that all views use exactly the same collection of symptoms and rubrics. The patient's situation is the same, it is your interpretation that is different for each view.

You can easily switch from one view to another via the menu. (Toolbar button , popup menu option *View / Standard*).


If you no longer want to use the view you have selected, you can delete it. (Popup menu option *View / Remove current view*).

You can always change the name you have given to the view. (Popup menu option *View / Rename current view*).

You can also change the order in which the views appear in the menu or the toolbar. (Popup menu option *View / Move current view to the left*).

### Looking at the analysis results of each view

The analysis results area, at the right side of the screen, shows you the analysis results for the selected view. When you switch to another view, the results will change to those for that view.

You can also look at all the view results at the same time. (Toolbar button .

It will look like this:

Standard	With Weights	Classification
Standard	Standard	Acute miasmatic Standard
Show all remedies	Show all remedies	Automatic filter
1 2	1 2	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
calc •	dulc •	dulc •
sil	calc •	mang
puls	sil	merc
merc	rhus-t	nux-m
sulph	puls	kali-c
sep	sep	rhus-t
nat-m	merc	stict
chin	nux-v	nux-v
rhus-t	kali-c	sep
tub	calc-p	kali-i
ars	mang	merc-v
con	nux-m	kali-ar
kali-c	bell •	calc-p
bell •	bry	merc-i-f
dulc •	hep	lem-m
calc-p	carb-v	puls
carb-v	kali-ar	ph-ac
lach	ars	sil
phos	nat-m	graph
caust	con	all-c
lyc	tub	carb-v
nit-ac	psor	nat-c
med	acon	calc •
syph	sulph	psor
hep	phos	hep
bry	nat-c	bell •
nux-v	kali-i	aesc
chel	rhod	rhod
staph	cham	teucr
alum	ant-c	ant-c
graph	ph-ac	nat-m
plut-n	graph	acon
kali-ar	zinc	rumx

It is similar to the list overview for an analysis, but shows one result list per view.  
At the top you see a summary of the settings used for each view.

- The analysis selected for the table output style.
- If the analysis uses classification, the analysis formula that is used.
- The remedy filter that is used.
- A small picture for each analysis setting in effect.

## Bönninghausen

### Some information about the Bönninghausen analysis

The Bönninghausen analysis method does not use another repertory, it works with the *Complete Repertory* like the other analyses. All rubrics in the old Bönninghausen repertories are present in the *Complete Repertory*. The Bönninghausen analytical system is a methodology that you use when the patient's symptoms require it, it has nothing to do with any specific kind of repertory, it has to do with rubrics that are generalized, which can be found in any repertory.

The difference is in the way the calculation is done.

Instead of just looking at how a remedy is represented in a given rubric, much emphasis is put on its occurrence in related rubrics in other parts of the repertory.

The calculation is done like this:

- Ignore the grade of the remedy, as displayed in the rubric.
- Instead, use a remedy grade that is calculated from the occurrence of the remedy in related rubrics.
- Give more weight to a remedy if it occurs in more related rubrics in different repertory sections (like Mind, Head, Generalities etc).
- Make corrections for the occurrence in polar rubrics (like amel. - agg., or desire - aversion).

In the Bönninghausen analysis style, you will generally use more generic and larger rubrics.

A mixed use of smaller specific rubrics with larger generic rubrics is generally not useful.

## Analysis Quality

### The art of making a good analysis

Making a good analysis of a patient's symptoms is an art, the mastery of which is not evident. Different schools might teach different methods. Individual teachers promote their personal styles and theories. And a good analysis is different per patient.

The Analysis Quality tool tries to help you prevent common errors, thereby improving your chance of success.

### The quality indicator

In the Analysis module, at the top of the page, you see a small colored button.

The color indicates the quality of the analysis.

- Green: Only minor recommendations for improvement.
- Yellow: Quality can be improved.
- Red: There are serious problems with this analysis.

Click on the quality indicator to see a report with suggestions for possible improvement.

# Materia Medica module

## Opening the Materia Medica module

Go to the Materia Medica module by clicking on the *MM* tab.

Complete Repertory 2023

Allen, Henry Clay

Keynotes and Characteristics

The Materia Medica of the Nos

Allen, Timothy Field

Clinical Hints

The Encyclopaedia of Pure Mat

Anschutz, Edward Pollock

New, old and forgotten remedi

Boericke, William

Pocket Manual of Homeopathi

Boger, Cyrus Maxwell

A synoptic key of the Materia M

Bönnigshausen, Clemens v

Characteristics

Clarke, John Henry

Dictionary of Practical Materia

Cowperthwaite, Allen Corso

A Textbook of Materia Medica

Dewey, Willis Allonzo

Essentials

Farrington, Ernest Albert

Clinical Materia Medica

Hahnemann, Samuel

Materia Medica Pura

Organon of Medicin (6th ed.)

Hansen, Oscar

A Text-Book of Materia Medica

Hering, Constantine

The Guiding Symptoms of our

Hutchinson, John W.

700 Red Line Symptoms

Kent, James Tyler

Lectures on Homeopathic Mate

Boericke, William

Arnica montana

Leopard's Bane

Produces conditions upon the system quite similar to those resulting from injuries, falls, blows, contusions. Tinnitus aurium. Putrid phenomena. Septic conditions; prophylactic of pus infection. Apoplexy, red, full face.

It is especially suited to cases when any injury, however remote, seems to have caused the present trouble. After traumatic injuries, overuse of any organ, strains. Arnica is disposed to cerebral congestion. Acts best in plethoric, feebly in debilitated with impoverished blood, cardiac dropsy with dyspnea. A muscular tonic. Traumatism of grief, remorse or sudden realization of financial loss. Limbs and body ache as if beaten; joints as if sprained. Bed feels too hard. Marked effect on the blood. Affects the venous system inducing stasis. Echymosis and hemorrhages. Relaxed blood vessels, black and blue spots. Tendency to hemorrhage and low-fever states. Tendency to tissue degeneration, septic conditions, abscesses that do not mature. Sore, lame, bruised feeling. Neuralgias originating in disturbances of pneumo-gastric. Rheumatism of muscular and tendinous tissue, especially of back and shoulders. Aversion to tobacco. Influenza. Thrombosis. Hematocoele.

Mind. -Fears touch, or the approach of anyone. Unconscious; when spoken to answers correctly, but relapses. Indifference; inability to perform continuous active work; morose, delirious. Nervous; cannot bear pain; whole body oversensitive. Says there is nothing the matter with him. Wants to be let alone. Agoraphobia (fear of space). After mental strain or shock.

Head. -Hot, with cold body; confused; sensitiveness of brain, with sharp, pinching pains. Scalp feels contracted. Cold

Pocket Manual of Homeopathic Materia Medica

spot on forehead. Chronic vertigo; objects whirl about especially when walking.

Eyes. -Diplopia from traumatism, muscular paralysis, retinal hemorrhage. Bruised, sore feeling in eyes after close work. Must keep eyes open. Dizzy on closing them. Feel tired and weary after sight-seeing, moving pictures etc.

Ears. -Noises in ear caused by rush of blood to the head. Shooting in and around ears. Blood from ears. Dullness of hearing after concussion. Pain in cartilages of ears as if bruised.

Nose. -Bleeding after every fit of coughing, dark fluid blood. Nose feels sore; cold.

Face. -Sunken; very red. Heat in lips. Herpes in face.

Mouth. -Fetid breath. Dry and thirsty. Bitter taste. [Colony.] Taste as from bad eggs. Soreness of gums after teeth extraction. [Sepia.] Empyema of maxillary sinus.

Stomach. -Longing for vinegar. Distaste for milk and meat. Canine hunger. Vomiting of blood. Pain in stomach during eating. Repletion with loathing. Oppressive gases pass upward and downward. Pressure as from a stone. Feeling as if stomach were passing against spine. Fetid vomiting.

Abdomen. -Stitches under false ribs. Distended; offensive flatul. Sharp thrusts through abdomen.

Stool. -Straining of tenesmus in diarrhea. Offensive, brown, bloody, putrid, involuntary. Looks like brown yeast. Must lie down after every stool. Diarrhea of consumption; worse lying on left side. Dysenteric stools with muscular pains.

Urine. -Retained from over-exertion. Dark brick-red sediment. Vesical tenesmus with very painful micturition.

Index

Book

Find

Case

Analysis

MM

## Selecting a Remedy

You can enter the abbreviation of a remedy in the field above in the Toolbar. If you do not know the abbreviation, you can look up the remedy by pressing the **Q** behind the field.

## Selecting a book

After selecting a remedy, you can choose any of the Materia Medica sources, listed on the left side of the screen. If the selected remedy does not occur in a book, the book title is printed in gray.

Complete Repertory 2023

Allen, Henry Clay

Keynotes and Characteristics

The Materia Medica of the Nos

Allen, Timothy Field

Clinical Hints

The Encyclopaedia of Pure Mat

Anschutz, Edward Pollock

New, old and forgotten remedi

Boericke, William

Pocket Manual of Homeopathi

Boger, Cyrus Maxwell

A synoptic key of the Materia M

Bönnigshausen, Clemens v

Characteristics

Clarke, John Henry

Dictionary of Practical Materia

Cowperthwaite, Allen Corso

A Textbook of Materia Medica

Dewey, Willis Allonzo

Essentials

Farrington, Ernest Albert

Clinical Materia Medica

Hahnemann, Samuel

Materia Medica Pura

Organon of Medicin (6th ed.)

Hansen, Oscar

A Text-Book of Materia Medica

Hering, Constantine

The Guiding Symptoms of our

Hutchinson, John W.

700 Red Line Symptoms

Kent, James Tyler


Lectures on Homeopathic Mate

If you want to use the maximum space for reading, you can hide the index with toolbar button **≡**.

Complete Dynamics


42






### Remedy index

To get an overview of all remedies that are available in a book, open the popup menu on the book title. (Popup menu option *Index*).



A list with all remedies in the book is shown. You can open the book for a remedy by clicking on the remedy name.



### Available books and Internet sites

Several books are available in the Materia Medica module. The availability of these books can vary, depending on your language settings.

The Materia Medica module integrates several internet websites that provide remedy information. The availability of these websites depends on your language settings. Please note that the contents of Internet websites is not part of *Complete Dynamics*, but is only shown in the Materia Medica module for your convenience. Some websites may ask you to pay for accessing the information. This is purely a policy of the website owner, and is in no way related to your *Complete Dynamics* license.

### Reverse Materia Medica


The *Reverse Materia Medica* will show you the most important symptoms from the repertory for the given remedy, as they are found in the repertory. No interpretation is done by human experts, like you would normally see in regular Materia Medica, the *Reverse Materia Medica* is based entirely on the expertise stored in the repertory. To go to a rubric in the *Book* module, simply double click on it.

More important symptoms are printed larger than less important symptoms, so you can easily distinguish the relative importance of the various symptoms.



You can modify the results with the following buttons:

- Fewer symptoms.
- + More symptoms.

Filter In the filter dropdown list, you can select criteria for the rubrics that will be shown in the Reverse Materia Medica:

Automatic	An automatic selection is done of the most relevant rubrics.
Confirmed Symptoms	Only remedies in grade 3 or 4 are used. These indicate symptoms that are confirmed in practice.
Complete Symptoms	Only complete symptoms are used. Symptoms are complete when they combine at least 3 different kinds of information. Example: Time + Location + Extension.
Confirmed & Complete	Only confirmed <b>and</b> complete symptoms are shown.
Red line symptoms	Gives preference to symptoms that occur in a related way throughout more parts in the repertory.
Keynotes	The remedy has grade 3 or 4, but all other remedies have a lower grade.
Unique rubrics	Show only rubrics where the remedy is the only occurring remedy.
	Differential Diagnosis on/off. If on, shows other important remedies of the symptom.

#### Alternative remedies in Reverse Materia Medica

After pressing the  button in the Toolbar, several additional remedies are shown for the symptoms: (Toolbar button , popup menu option *Remedies / Show DD remedies*).

<b>MIND</b> ANGUISH; heart complaints, in; angina pectoris, in: <a href="#">ARN</a> (+1) dd: aml-n ANSWER, answering, answers; stupor returns quickly after: <a href="#">ARN</a> (+26) dd: <a href="#">BAPT HYOS</a> DESPAIR; concussion, after: <a href="#">ARN</a> DULLNESS; injuries of head, after: <a href="#">ARN</a> (+9) FEAR; touch, of; gout, in: <a href="#">ARN</a> (+1) dd: colch FORGETFULNESS; injuries, after: <a href="#">ARN</a> (+8) dd: <a href="#">HYPER</a> INDIFFERENCE, apathy; fever; during: <a href="#">ARN</a> (+39) dd: <a href="#">CHIN</a> <a href="#">CON OP PH-AC PHOS SEP</a> INDIFFERENCE, apathy; heat; during: <a href="#">ARN</a> (+10) dd: <a href="#">PH-AC PULS Op</a> <a href="#">Phos Sep</a> INDIFFERENCE, apathy; stool; after: <a href="#">ARN</a> (+1) dd: cycl RESTLESSNESS, nervousness; perspiration; during: <a href="#">ARN</a> (+39) STUPEFACTION, as if intoxicated; concussion of brain, after: <a href="#">ARN</a> STUPEFACTION, as if intoxicated; injury, after: <a href="#">ARN</a> (+5) dd: cic con hell puls rhus-t STUPEFACTION, as if intoxicated; perspiration; during: <a href="#">ARN</a> (+14) dd: <a href="#">HYOS OP PH-AC PHOS RHUS-T</a> UNCONSCIOUSNESS, coma; brain complaints, in: <a href="#">ARN</a> (+46) dd: <a href="#">APIS OP</a> UNCONSCIOUSNESS, coma; fever; during: <a href="#">ARN</a> (+71) UNCONSCIOUSNESS, coma; injury, after: <a href="#">ARN</a> (+11) dd: <a href="#">GALEN</a> WEeping, tearful mood; cough; before: <a href="#">ARN</a> (+7) dd: <a href="#">BELL BRY HEP</a> ant-tars bor phos WEeping, tearful mood; cough; during: <a href="#">ARN</a> (+32) dd: <a href="#">BELL HEP</a> <a href="#">NAT-M</a> <b>HEAD</b> CONGESTION, hyperemia; chill; during: <a href="#">ARN</a> (+26) dd: <a href="#">CHIN ARS</a> <a href="#">CEDR MERC SEP M-arct M-aust</a> CONGESTION, hyperemia; thirst, with: <a href="#">ARN</a> (+3) dd: <a href="#">Mang Thuj</a> bov HEAT; chilliness; during: <a href="#">ARN</a> (+24) dd: <a href="#">BELL BRY</a> HEAT; coldness, with; body, of: <a href="#">ARN</a> (+42)	<b>HEAD (cont.)</b> INFLAMMATION; meninges, meningitis; injuries, after: <a href="#">ARN</a> (+5) dd: <a href="#">HEP HYPER NAT-S OP bell</a> PAIN, headache; brain complaints, in: <a href="#">ARN</a> (+23) dd: <a href="#">ACON</a> PAIN, headache; injuries, after: <a href="#">ARN</a> (+40) dd: <a href="#">ACON NAT-S</a> PAIN, headache; injuries, after; concussion: <a href="#">ARN</a> (+20) dd: <a href="#">ACON BELL CHIN CIC HYPER KALI-BR Hell</a> PAIN, headache; injuries, after; fall, after a: <a href="#">ARN</a> (+7) dd: <a href="#">CIC HYOS</a> <a href="#">Thiosin hyper nat-s rhus-t sul-ac</a> PAIN, headache; forehead; warmth; agg.: <a href="#">ARN</a> (+14) dd: <a href="#">APIS</a> PAIN, headache; burning, smarting; coldness of body, with: <a href="#">ARN</a> (+1) dd: coff-t PAIN, headache; stitching; cough; during: <a href="#">ARN</a> (+43) dd: <a href="#">BRY SABAD</a> <a href="#">SULPH</a> SWELLING; children: <a href="#">ARN</a> (+2) dd: <a href="#">RHUS-T Sil</a> <b>EYES</b> CATARACT, opacity of lens; injuries, after: <a href="#">ARN</a> (+17) dd: <a href="#">ACON</a> CATARACT, opacity of lens; operations, after: <a href="#">ARN</a> (+5) dd: <a href="#">ACON</a> <a href="#">ALUMN SENEG STAPH rhus-t</a> DUST; agg.: <a href="#">ARN</a> (+32) dd: <a href="#">ACON CALC HEP SIL STAPH SULPH</a> HEMORRHAGE; coughing agg.: <a href="#">ARN</a> (+5) dd: <a href="#">HAM LED NUX-V carb-v</a> cham HEMORRHAGE; injuries, after: <a href="#">ARN</a> (+5) dd: <a href="#">LED NUX-V bry erig</a> sul-ac INFLAMMATION; injuries, after: <a href="#">ARN</a> (+28) dd: <a href="#">ACON CALC</a> <a href="#">HEP SIL STAPH SULPH</a> INFLAMMATION; injuries, after; foreign bodies, from: <a href="#">ARN</a> (+7) dd: <a href="#">ACON HEP SIL CALC PULS ham sulph</a> INJECTED; cough, during: <a href="#">ARN</a> PAIN; injuries, after: <a href="#">ARN</a> (+6) dd: <a href="#">SYMPH BRY LED SULPH asar</a> hyper <b>EARS</b> INJURIES, after: <a href="#">ARN</a> (+13) dd: <a href="#">CAPS CHIN-S TELL Arist-cl Lach</a> <a href="#">Nat-m</a> <b>HEARING</b>
--	--

For every symptom, at most 7 alternative remedies are shown.

In the example, you will see that sometimes you see 7 remedies, but sometimes less. This is because remedies of a certain grade are only shown if ALL of them can be shown.

So if you see remedies of grade 4 and grade 3, this means that there are no other remedies in that rubric with grade 4 or 3, but there might be remedies with grade 2 or 1 that are not shown.

If you see no remedies at all, the rubric probably contains 8 or more remedies of the same importance, or there are no alternatives available at all.

#### Additional Materia Medica

Additional Materia Medica books, created by other users, can easily be added to *Complete Dynamics*. A Materia Medica book is stored in a file, which can be shared with other users. To install the new book, copy the file to the folder *Complete Dynamics*, located under your *Documents* folder. Then stop and restart *Complete Dynamics*. The new book should then automatically be visible in your *MM* section.

Creating new Materia Medica books requires a license for the *Master Edition*.

#### Materia Medica quick view

It can be very convenient to quickly see the Materia Medica text of several books at the same time.

The *Materia Medica quick view* window shows the text of several of the more compact Materia Medica books at the same time. (Popup menu option *Materia Medica quick view*).

<b>Cyclamen Europaeum</b> <i>Pharmacokinship - Remedy Relations (Nambison)</i> Followed well by: Phos., Puls., Rhus-t., Sep., Sulph. Antidoted by: Camph., Coff., Puls. Duration of action: 14 - 20 d Dose: 3 attenuation <b>700 Red Line Symptoms (Hutchinson)</b> 1. - Flickering before the eyes, as of various colours, glittering needles, fiery specks and sparks. <i>Keynotes of the homeopathic Materia Medica (Lippe)</i> Sow Bread Pressing, drawing and tearing pain, principally in the periosteum. Chilblains of the feet. As long as he walks about he feels well with the exception of languor, but as soon as he sits down, especially in the evening, he suffers various inconveniences. Thirstlessness. Menses too profuse. Bad effects from eating much fat food (pork). Aggravation in the evening and while at rest. Amelioration whilst walking. <i>Keynotes and Characteristics (Allen)</i> <b>Sow Bread Primulaceae</b> Best suited for leucophlegmatic persons with anaemic or chlorotic conditions; easily fatigued, and in consequence not inclined to any kind of labor; feeble or suspended functions of organs or special senses. <i>Pale, chlorotic; deranged menses</i> (Ferr., Puls.), accompanied by vertigo, headache, dim vision. Pains; pressive, drawing or tearing of parts where bone lie near the surface. Ailments: from suppressed grief and terrors of conscience; from duty not done or bad act committed. Great sadness and peevishness, irritable, morose, ill-humored; inclined to weep; desire for solitude; <i>aversion to open air</i> (reverse of Puls.).
---

Close

# Remedy information

## Detailed remedy information

As an example, let's take a look at the rubric *Generalities; Food and drinks; apples; desires*:

FOOD	GENERALITIES	GENERALITIES	FOOD
<b>FOOD and drinks; apples (cont.)</b> <b>desires:</b> (42) <ul style="list-style-type: none"><li>• Food and drinks; cool things, like apples, desires (2)</li><li>• Food and drinks; fruits; desires (233)</li><li>• eleven thirty pm., on falling asleep: (1)<ul style="list-style-type: none"><li>• Night, nine pm. - five am.; agg.; eleven thirty pm. (8)</li></ul></li><li>• water, with desire for cold: (1)<ul style="list-style-type: none"><li>• Food and drinks; cold; drinks; desires (342)</li></ul></li><li>• butter: (1)</li><li>• cider<ul style="list-style-type: none"><li>• Food and drinks; cider; desires (6)</li></ul></li><li>• juice: (2)</li><li>• cold: (2)<ul style="list-style-type: none"><li>• Food and drinks; cold; drinks; desires (342)</li><li>• Food and drinks; fruits; desires; juicy; juices (47)</li></ul></li><li>• sour: (2)<ul style="list-style-type: none"><li>• Food and drinks; fruits; desires; sour, acid (26)</li></ul></li><li>• strudel: (1)</li></ul> <b>aromatic food</b> <b>agg., smell of:</b> (2) <ul style="list-style-type: none"><li>• Food and drinks; food in general; agg.; smell of (109)</li><li>• Odors, strong, agg. (169)</li></ul> <b>desires</b> <ul style="list-style-type: none"><li>• Food and drinks; herbs, desires (11)</li><li>• drinks: (1)</li></ul>	<b>FOOD and drinks; aromatic food; desires (cont.)</b> <ul style="list-style-type: none"><li>• food: (2)</li></ul> <b>artichokes</b> <b>aversion:</b> (4) <ul style="list-style-type: none"><li>• Food and drinks; vegetables; aversion (65)</li></ul> <b>desires:</b> (1) <ul style="list-style-type: none"><li>• Food and drinks; vegetables; desires (133)</li></ul> <b>artificial agg.:</b> (12) <b>baby food:</b> (6) <b>ashes, desires:</b> (1) <ul style="list-style-type: none"><li>• Coal, charcoal, desires (7)</li><li>• Food and drinks; inedible things; desires, pica (43)</li><li>• Lime, slate pencils, clay etc., desires (29)</li></ul> <b>asparagus, desires:</b> (1) <ul style="list-style-type: none"><li>• Food and drinks; vegetables; desires (133)</li></ul> <b>aubergines, eggplant</b> <b>aversion:</b> (2) <ul style="list-style-type: none"><li>• Food and drinks; potatoes; aversion (15)</li><li>• Food and drinks; tomatoes; aversion (15)</li><li>• Food and drinks; vegetables; aversion (95)</li></ul> <b>desires:</b> (1) <ul style="list-style-type: none"><li>• Food and drinks; vegetables; desires (133)</li></ul> <b>avocado</b> <b>agg.:</b> (2)	<b>FOOD and drinks; avocado (cont.)</b> <b>desires:</b> (3) <b>baby food, desires:</b> (3) <ul style="list-style-type: none"><li>• Dissolved food, desires (1)</li></ul> <b>bacon</b> <ul style="list-style-type: none"><li>• Meat</li><li>• Pork</li></ul> <b>agg.:</b> (4) <ul style="list-style-type: none"><li>• Food and drinks; fat and rich food; agg. (171)</li><li>• Food and drinks; meat; agg. (129)</li></ul> <b>amel.:</b> (2) <ul style="list-style-type: none"><li>• Food and drinks; fat and rich food; amel. (6)</li><li>• Food and drinks; meat; amel. (5)</li></ul> <b>aversion:</b> (2) <ul style="list-style-type: none"><li>• Food and drinks; fat and rich food; aversion (114)</li><li>• Food and drinks; meat; aversion (222)</li><li>• Food and drinks; meat; aversion; fat (18)</li><li>• Food and drinks; pork; aversion (13)</li></ul> <b>desires</b> ● (23) <ul style="list-style-type: none"><li>• Food and drinks; fat and rich food; desires (125)</li><li>• Food and drinks; ham; desires (14)</li><li>• Food and drinks; lard; desires (4)</li><li>• Food and drinks; meat; desires (192)</li><li>• Food and drinks; pork; desires (38)</li></ul> <b>baked agg.:</b> (2) <b>bananas</b> <ul style="list-style-type: none"><li>• Fruits</li></ul> <b>agg.:</b> (6) <ul style="list-style-type: none"><li>• Food and drinks; fruits; agg. (157)</li><li>• Food and drinks; plantain agg. (1)</li></ul>	<b>FOOD and drinks; bananas (cont.)</b> <b>amel.:</b> (1) <b>aversion:</b> (6) <ul style="list-style-type: none"><li>• Food and drinks; fruits; aversion (58)</li></ul> <b>desires:</b> (27) <ul style="list-style-type: none"><li>• Food and drinks; fruits; desires (233)</li><li>• dried: (1)<ul style="list-style-type: none"><li>• Food and drinks; fruits; desires; dried (7)</li></ul></li><li>• green: (1)<ul style="list-style-type: none"><li>• Food and drinks; green food; desires (19)</li></ul></li></ul> <b>beans, peas, legumes</b> <b>agg.:</b> (26) <ul style="list-style-type: none"><li>• Food and drinks; flatulent food agg. (21)</li></ul> <b>aversion:</b> (11) <ul style="list-style-type: none"><li>• Food and drinks; lentils, aversion to (2)</li><li>• Food and drinks; vegetables; aversion (95)</li></ul> <b>desires:</b> (5) <ul style="list-style-type: none"><li>• Food and drinks; seeds, desires (33)</li><li>• Food and drinks; vegetables; desires (133)</li></ul> <b>beef</b> <b>agg.:</b> (3) <b>aversion:</b> (6) <ul style="list-style-type: none"><li>• Food and drinks; meat; aversion (222)</li></ul> <b>roasted:</b> (1) <ul style="list-style-type: none"><li>• Food and drinks; meat; aversion; roasted (3)</li></ul>

To get more information, double click on **ANT-T**.  
This will bring up the Remedy Information window:

### Remedy information

**Rubric:** GENERALITIES; FOOD and drinks; apples; desires.

**Remedy abbreviation:** ant-t, grade 3.  
**Standard name:** Antimonium tartaricum.  
**English name:** Tartrate of antimony & potash.

**Occurrences in related rubrics:** 2, **average grade:** 2.0.

#### Sources.

Allen T F	<i>Encyclopedia of Pure Materia Medica</i> , 1874.
Allen T F	<i>Index of Encyclopedia</i> , 1876.
Bönnigshausen	<i>Systematisches alphabetisches Repertorium der antipsorischen und nicht-antipsorischen</i>
C M von	<i>Arzneien with handwritten annotations</i> , 1833.
Knerr C B	<i>Repertory of Hering's Guiding Symptoms</i> , 1896.
Lilienthal S	<i>Homoeopathic Therapeutics</i> , Jain. B. (New Dehli), 1890.
Lippe A von	<i>Keynotes and Red line symptoms of Materia Medica</i> , 1915.
Saine A	<i>Materia Medica Pura Project</i> , 2018.
Trinks C F & Müller C	<i>Handbuch der homöopathischen Arzneimittellehre III</i> , T.O. Weigel (Leipzig), 1847.

Close

### Occurrences in related rubrics

Related rubrics are rubrics that have some kind of relationship with the rubric you are viewing for this remedy.  
In this example, these rubrics are:  
*Generalities; Food and drinks; cool things, like apples, desires*  
*Generalities; Food and drinks; apples, desires; water, with desire for cold*  
Both of these rubrics also contain *ant-t*.  
The higher the number of occurrences in related rubrics, and the higher the average weight in these rubrics, the more importance can be assigned to the remedy.

#### Sources

Lists all the sources the remedy originates from. This includes at least the author name, the book or magazine title, and the year of publication.

#### Author numbers

If you have previously been working with *MacRepertory*, you might be accustomed to using author numbers instead of author names.  
In the preferences settings, you can activate the option *Author numbers*. See the section *Preferences* for details.

The remedy information window will then show the author numbers as well:

## Remedy information

**Rubric:** GENERALITIES; FOOD and drinks; apples; desires.

**Remedy abbreviation:** ant-t, grade 3.

**Standard name:** Antimonium tartaricum.

**English name:** Tartrate of antimony & potash.

**Occurrences in related rubrics:** 2, **average grade:** 2.0.

### Sources.

- Allen T F (36) *Encyclopedia of Pure Materia Medica*, 1874.  
Allen T F (36) *Index of Encyclopedia*, 1876.  
Bönninghausen C M von (5) *Systematisches alphabetisches Repertorium der antipsorischen und nicht-antipsorischen Arzneien with handwritten annotations*, 1833.  
Knerr C B (54) *Repertory of Hering's Guiding Symptoms*, 1896.  
Lilienthal S (11) *Homoeopathic Therapeutics*, Jain. B. (New Dehli), 1890.  
Lippe A von (22) *Keynotes and Red line symptoms of Materia Medica*, 1915.  
Saine A (809) *Materia Medica Pura Project*, 2018.  
Trinks C F & Müller C (4) *Handbuch der homöopathischen Arzneimittellehre III*, T.O. Weigel (Leipzig), 1847.

[Close](#)

# Jump-to field

## Tablets

On iPad and Android tablets, the *Jump to* field appears at the top left of the screen, after you select the toolbar button **+**.

## Purpose

The *Jump to* field at the bottom left side of the window is used to quickly jump to a given rubric in the repertory.

You can use it to quickly jump to known rubrics.

If you are not sure what you are looking for, use the *Find* field instead; the *Jump to* field helps you quickly navigate if you know where you want to go.

## Using the field

In the *Jump to* field, simply enter the first letters of the rubric that you want to jump to. Rubric parts are separated by a space.

In the example above, the rubric *Mind; Fear, dogs of* is jumped to.

You only need to enter the minimum number of letters needed to identify each rubric fragment. In this example, entering *m fe dog* would have sufficed.

While you type, feedback is provided about the interpretation, shown immediately below the *Jump to* field.

Also, as you type, the book instantly jumps to the new rubric on every keystroke.

Let's take rubric *Mind; Fear; dogs, of* as example and see what happens while you type.

The first *m* is interpreted as *mind*. In parenthesis you see the 3 alternatives also starting with an *m*.

Note that the part of the word that is interpreted as possibly correct, is printed in green (the *m* in *mind, mouth, male, mirilli's themes*).

Jump to

*mind* (*mouth* / *male* / *mirilli's themes*)

After hitting the space bar, this part is completed. *Mind* is the confirmed option out of 4 possibilities.

Jump to

*mind*

Now the second part of the rubric name is started. *f* is interpreted as *forenoon*, the first possible option.

Jump to

*mind; forenoon* (*faces* / *facetiousness* / *fails* / *failure...* / *faint*...

We are not looking for *forenoon*, so type one more letter. Now *fear* is selected, with quite a few alternatives remaining.

Dots after words (eg *fed...*, *feeling...*) indicate that the rubric text is actually longer (*fed, desires to be* / *feeling, loss of*), but the extra words have been omitted to leave more space for other alternatives.

Jump to

*mind; fear* (*fearlessness* / *feces* / *fed...* / *feeling...* / *feigning* /

Again, hitting space confirms that this is correct.

Jump to

*mind; fear*

*d* leads to *daytime only*.

Jump to

*mind; fear; daytime only* (*day...* / *delirium...* / *delirium...* / *deli*

*do* takes you to the *doctors*.

Jump to

*mind; fear; doctor, physician* (*dogs...* / *dominate...* / *dominate*

And *dog* gives you really want. The book is opened at *Mind; Fear; dogs, of*.

Jump to

*mind; fear; dogs, of*

Just hit Enter and you are right where you wanted to go!

Note: *dogs, of* is printed entirely in green. This is because this is the only possible interpretation of *dog* in this context.

*mind* is printed with just the first *m* in green, because there are alternatives also starting with *m*.

*fear* is printed with two green letters, because *fe* is unique. The alternatives *feces, fed, feeling, feigning* etc also start with *fe*.

## Making mistakes is human

Of course you do not know the entire repertory structure by heart. Nobody does.

So it is quite likely that you will frequently make mistakes and type something incorrect.

For example, you would like to go to the rubric *Mind; delusions; lions*.

This rubric does not exist, since the correct rubric is actually *Mind; delusions; cats, felines, sees; lions*.

So you type *m delu lion*

Jump to

*mind; delusions, imaginations; lion?*

You now see that *lion* is printed in red, since there is no match.

No need to worry, just switch to searching by pressing the button **⇄** in between the *Jump to* and *Find* fields.

This copies the text from the *Jump to* field to the *Find* field and immediately starts a search for you.

The *Find* module now shows you the rubrics you might have been looking for:



## MIND

DELUSIONS, imaginations; **cats**, felines, sees; **lions**: (2)

DELUSIONS, imaginations; **hand**, hands; **paw** of a lioness, change into: (1)

Complete Dynamics © Eduard van Grinsven - Complete Repertory 2023 © 2023 Roger van Zandvoort

Just double click on the first rubric, and the book opens right there where you intended to go.

### The book module

When you select a rubric in the *Book module*, the *Jump to* field automatically fills in the short text for that rubric for you. This way, it is easy to find related rubrics.

Examples:

When you select rubric *Mind; fear; dogs, of; attacking him, in delirium*, the *Jump to* field automatically fills in *min fear dog att*.

When you select rubric *Generalities; food and drinks; cold; drinks, water; agg.*, the *Jump to* field automatically fills in *gen foo cold dri agg*.


For every part of the rubric name, at least 3 characters are used. Often 1 or 2 can be enough, but then the text should become highly unreadable.

When 3 characters are not enough, more characters are used to distinguish the rubric from other rubrics.



## Find field

### Tablets











On iPad and Android tablets, the *Find* field appears at the top right of the screen, after you select the toolbar button .

### Powerful and easy-to-use searching

Find

In this field you can enter all search criteria that you can also enter in the individual fields (see the section *Find module*). However, the *Find* field can be more efficient, because you can enter and modify what you want to find without having to switch between fields. This can be very, very fast.

There are a few things you need to know. Actually it is very simple, because every time you enter find criteria in the individual fields of the *Find module*, the correctly formatted string is automatically entered into the *Find* field. This works both ways; anything you enter in the *Find* field is shown in the individual fields, as it is interpreted.

Text	<input type="text" value="menses bef..."/>	
Remedies	<input type="text" value="sep cemic"/>	
Min. grade	<input type="text" value="3"/>	 
Min. rubric size	<input type="text" value="0"/>	 
Max. rubric size	<input type="text" value="9999"/>	 
Complete symptoms	<input type="checkbox"/>	
Chapters	<input type="text"/>	
Rubric types	<input type="text"/>	

[Clear](#)

What makes the *Find* field so powerful is that you enter what you are looking for in any order you like. So if you find too many rubrics, simple type a few more terms to reduce the result. You can even repeat criteria you typed earlier in the field; the latest interpretation is taken (grade, rubric size).

You can even combine the use of the *Find* field with the individual fields. Whatever you change at one location automatically reflects in a change at the other location.

Here are the rules:

- Text** Text fragments are automatically interpreted as text, like you type it in the individual *Text* field.  
The same usage of /, + and - applies here (see examples in the section *Find module*).  
In the example above, searching is done for the word *menses* in combination with either *before* or *during*.
- Remedies** Remedy abbreviations have to be ended with a dot.  
In the *Remedies* field this is optional, but here you must end with a dot to avoid confusion between text fragments and remedy abbreviations. (Confusion example: *sep* could mean either *sepia* or *separation*).  
The same usage of / and + applies here, see examples in section *Find module*.  
In the example above, searching is done on either *sepia* or *cimicifuga*.  
Note: even remedies that by themselves are not an abbreviation (like *Apis* or *Bufo*) need to be ended with a dot (apis. bufo.).
- Gradation** Minimum remedy gradations 1 to 4 can be specified by entering \*1, \*2, \*3, or \*4. This expression can be read as: All (\*) requested remedies need to have this grade or higher.  
Alternatively, the numbers 1, 2, 3 and 4 without the \* are interpreted as minimum remedy gradation as well. So 4 is the same as \*4.
- Rubric size** Minimum and maximum rubric size can be specified by a number, preceded by > or <.  
<50 means 50 remedies or less.  
>10 means 10 remedies or more.  
Alternatively, any number starting at 5 and higher is automatically interpreted as a maximum rubric size. So 50 is the same as <50.

### Examples

Let's extend the example above with a restriction to rubrics that contain at most 50 remedies.  
The following ways to enter the criteria will all result in the same outcome:

```
sep. cemic. menses before/during *3 <50
sep. cemic. menses before/during 3 50
menses sep. before / during 3 <50 cemic.
50 menses+before/during sep./cemic. 3
menses before /during sep. 2 cemic. 200 50 3
```

In the last example, you see how the initial gradation of 2 is replaced by 3 later on, and the maximum rubric size of 200 is changed into 50. This might seem confusing in an example, but is actually very efficient while you are searching and want to narrow your results as you search. You can type a new criterium without first having to remove the previously entered criterium; the last simply overrules the first.

Tip: Don't forget that text searching also uses the special notation of =, \* and "":  
=dog will find *dog*, but not *dogmatic*.  
\*ation will find *palpitation* as well as *perspiration* and *ovulation*.  
"he is" will find only *he* and *is* if they are in that exact order.

## Preference settings

Several of the program's options are configurable according to your personal preferences. You can change these options via de *Preferences* button in the *Index* module. A dialog opens, having several sections.

### General settings

Preferences

Program language

English

Animations

☐

Optimize for

Higher speed

Include Kent's repertory

☐

General

Book

Find

Case

More

Cancel

OK

- Program language

Several language options are available here to choose from.  
The available language can vary per version of *Complete Dynamics*; languages not available might be added in a newer release.
- Animations

In some parts of *Complete Dynamics*, animations are used, for example when opening and closing a case. These look nice, but take time to finish. If you do not want these animations, uncheck this option.
- Standard font name

Here you can select your preferred font, to be used by the program.
- Optimize for

This setting influences the memory usage of the iPad App.  
*Higher speed.* When selected, the program attempts to keep data in memory, to increase the speed. This option is recommended if you work mostly with *Complete Dynamics*.  
*Less memory usage.* When selected, the program frees as much memory as possible when you switch to another program. This reduces the risk of being terminated by the iPad, but makes the program slower. This option is recommended when you work with multiple programs, or when you have an older iPad.
- Include Kent's repertory

Check this option if you want *Kent's Repertory, 6th edition* to be available as separate repertory.  
All of the contents of *Kent's Repertory* is already included in the *Complete Repertory*. However, some people prefer to consult *Kent* without all the additions from other material.  
After checking this option, *Kent* will be available in the *Index* module.
- ### Book settings
- Preferences

Repertory language

Engli...

----

Author numbers

☐

Show rubric size

☐

Rubrics in alphabetic order

☐

General

Book

Find

Case

More

Cancel

OK
- Repertory language

The language to be used for the repertory.  
The second option is the secondary language, shown after the rubric text. A second language is only available if you have bought the repertory translation.

Author numbers

If this option is checked, MacRepertory style author numbers are shown besides author names.  
If this option is checked, the feature of horizontal scrolling is enabled.  
This feature can only be available if your mouse or track pad supports horizontal scrolling.

Show rubric size

If checked, the Book module always shows the number of remedies for a rubric. If not checked, the number is only shown when the remedies are not visible.

Rubrics in alphabetical order

If checked, the Book module always shows rubrics in alphabetical order. If not checked, the standard repertory order is used, as introduced by Kent.
- ### Find settings
- Complete Dynamics
- 50

Preferences

Automatic layout ☐

General

Book

Find

Case

More

Cancel

OK

*Automatic layout* If this option is checked, the Find results are automatically drawn in multiple columns, if there is enough space on the screen. When not checked, all rubrics are drawn in a single column.

Case settings

Preferences

Minutes until automatic lock of cases

0

-

+

Automatically delete archived cases

Never

Use Cloud Server

☐

General

Book

Find

Case

More

Cancel

OK

*Minutes until automatic lock of cases* In case you have set a password to protect your patient information, this option sets the number of minutes before the Case module will automatically be locked. If you enter 0 here, no automatic locking is done.

*Automatically delete archived cases* Select after how much time archived cases should be permanently deleted. If you select *Never*, archived cases will not be automatically deleted.

*Use Cloud server* Store a copy of your cases in the Cloud Server.

Analysis settings

## Preferences

< More

Remedy coloring HFA ☐

Analysis formulas

Standard	✓
Small remedies	✓
Small rubrics	✓
Bönnighausen	✓
Simple counting	✓

↑ ↓

Show analysis ☒

General Book Find Case **More**

Cancel OK

- Remedy coloring HFA** If this option is checked, the analysis can color remedies according to Grant Bentley's facial analysis method. In the Analysis module, a new toolbar button will appear (🎨), with which you can switch coloring on and off.  
The use of this options is only useful if you have successfully completed a course in this method.
- Show only relevant rubrics** In the Analysis module, the relation between rubrics and remedies is shown in the resulting table graphs.  
Symptoms and Rubrics with weight setting 0, do not actually contribute to the analysis results.  
When this options is checked, remedies from rubrics that do not contribute to the analysis results are left out of the result table graph. This way, you can see more easily how the rubrics contribute to the analysis result.
- Analysis formulas** In the Analysis module, several analysis formulas can be used.  
You can select which of these formulas are shown, and in which order.  
To change the order in which the analyses are shown, select an analysis by clicking on its name. You can then move it up or down the list with the buttons ↑ and ↓.  
To include or exclude an analysis, select in and then click on the checkbox *Show analysis*.

## Materia Medica settings

### Preferences

< More

Show Materia Medica for the following languages

English ☒

Portuguese ☐

Spanish ☐

French ☐

German ☐

Russian ☐

General Book Find Case **More**

Cancel OK

- Languages** Several Materia Medica languages are available.  
By default, the languages are shown according to your computer language and country setting, and your license options.  
You can select which book languages are shown in the *Materia Medica module*.

## Buying homeopathic remedies

From within the program, you can easily order your homeopathic remedies, directly from an online pharmacy.

The availability of a pharmacy can differ per country, depending on local and international regulations. This availability is determined at program startup.

To order a remedy, open the popup menu on a remedy name, anywhere in the Book or Analysis module, and select the option *Buy remedy from pharmacy*. (Popup menu option *Buy remedy from pharmacy*).

[illegible]

If the option is not available, no pharmacy is supported in your country.

After selecting the option, you will automatically be guided to the online pharmacy that is available for you.

Please note that *Complete Dynamics* is independent of the pharmacy. We offer direct access to the pharmacy as a service to our customers.

## Feedback

### We need your help and value your feedback!

The creators of *Complete Dynamics* are committed to bringing you the best possible quality and usability, combined with moderate pricing for the commercial editions. In terms of quality, we have a zero fault tolerance approach to software development. Program faults are simply not acceptable to us, and if found they will be solved with the highest possible priority. Usability is a more complex issue, since usability is a very personal matter. We and our dedicated group of professional evaluators constantly search for the best possible usability, always evaluating your feedback.

With your help we can continue to improve *Complete Dynamics* constantly.

### How to give feedback

To send us your feedback, please go to our website [www.completedynamics.com](http://www.completedynamics.com), section *Contact*. You can also send us an email at [support@completedynamics.com](mailto:support@completedynamics.com).